
THE BED ASSEMBLY INSTRUCTIONS





Please use the screws according to the instructions, thank you.

SAFETY WARNINGS AND GENERAL NOTES:

- 1. Follow the information on the warnings on the bunk bed end structure and on the carton. Do not remove the warning label from the bed.
- 2. Always use the recommended size mattress on mattress support, or both, to help prevent the likelihood of entrapment or falls.
- 3. Do not allow children under 6 years of age to use the upper bunk.
- 4. Periodically check and ensure the guardrail, ladder and other components are in their proper position, free from damage, and all connectors are tight.
- 5. Do not allow horseplay on or under beds.
- 6. Always prohibit jumping on the bed.
- 7. Prohibit more than one person on upper bunk.
- 8. Always use the ladder for entering and leaving the upper bunk.
- 9. Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- 10. Use of a night-light may provide added safety precaution for a child using the upper bunk.
- 11. Always use guardrails on both long sides of the upper bunk.
- 12. If the bunk bed is placed adjacent to a wall, the full-length guardrail must be positioned flush against the wall to prevent entrapment hazards. Waterbeds and inflatable mattresses are strictly prohibited.
- 13. STRANGULATION HAZARD-Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hooks, belts and jump ropes.
- 14. Keep these instructions for future reference.
- 15. We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- 16. Be certain all staples are out of the box before beginning assembly on the shipping carton.
- 17. USE ONLY MATTRESSES WHICH ARE AS THE TABLE BELOW ON UPPER AND ON LOWER BUNKS.


Down bed

Mattress type	Length	Width	Thickness
Queen Standard	79"-80"	59" -60"	8"
Up bed (bunk bed and to	ri-bed included)		
Mattress type	Length	Width	Thickness
Queen Standard	79"-80"	59" -60"	6"Max
Movable bed support	Length	Width	Thickness
Standard	72"-73"	37" -38"	4"Max

- 18. SURFACE OF MATTRESS MUST BE AT LEAST 5"(127MM) BELOW THE UPPER EDGE OF GUARDRAILS.
- 19. Replacement Parts:

Replacement Parts, including additional guardrails, may be obtained from any of our (Shenzhen Yuefeng Zhiqi Technology Co., Ltd) dealers.


Bed parts view




Page 3

Page 4


Part List 1-1pcs 3-2pcs 2-1pcs 4-1pcs




Hardware List




Step 1: Use hardware L \ D and F to connect #5 \ #8 \ #11 and #12 together.












Step 2: Install part #K to parts #1 and #7 and Use Step 3: nstall part #K to parts #6, Then use hardware L, C, D,F to connect #3,#6,#7and #2 to the previously hardware L, D and E to connect #1,#2,#4 and #7 together. installed components. Note that the holes should be in the upper part of the square pipe 6*25-2PCS K-40PCS 8*35-10PCS 8*15-2PCS K-20PCS 8*55-1PCS 8*55-8PCS Page 7 Page 8

Step 4: Use hardware L, E to connect #1 to the previously Step 5: Use connect #9 to the previously installed installed components. components. 99/99/99/99/99/99/96 9-28pcs 6*25-24PCS Page 9 Page 10



Completed





Tips:

If you feel that the bed

is a little wobbly then

please use the parts "U"

and "T"for reinforcement



Please tighten all screws before use, thank you.