Assembly Instructions


Swilvel Chair

Important safety instructions:

- •Thanks for your purchasing this product, please read carefully instruction before assembly.
- •For your safety and ease, assembly by two or more adults is recommended. Keep instructions for future use.

Pre-assembly:


- •Do not discard any content until assembly is complete to avoid accident tally discarding parts or hardware.
- •Take out all parts and hardware from box and place them on a clean, soft and smooth surface.



Parts List


Ax1	Bx1	Cx1	Dx1
LEFT ARM	RIGHT ARM	SEAT BASE	SEAT CUSHION
Ex1	Fx1	Gx1	

OVERVIEW:




Assembly Steps:


Step 1: Take out the **Seat Cushion(D)** & **Back Cushion(F)** & **Back Frame(E)** From the Storage space of the **Seat Base(C)**



Step 2: Insert the Left Arm(A) and the Right Arm(B) to both side of the Seat Base(C)



Step 3: Assembly Back Frame(E) with Left Arm(A) and Right Arm(B)



Step 4: Open the vacuum bag and take the **cushions(D/F)** out. To restore the original shape, follow the steps bellow.











After packing up, place them in somewhere dry and venslated. After about 72-96 hours. It can be restored to the best use condition.

Step 5: Put the Seat Cushion(D) and Back Cushion(F) on the assembled chair



Step 6: Connect the **Power Plug(G)** to the socket under the **Left Arm(A)**.



Step 7: Your Accent chair has beed assembled.

Notice: Insert the Power Plug to the socket and then you can charge you phone or pad by the charging port on the side of the Left Arm.

