

Assembly Instructions

Caution: You must read this Assembly Instructions before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.




- Stains may be removed with mild soap solution and damp cloth.



- Dust and pick-up spills using a clean, non-colored, lint- free cloth.

Please look in the backrest for hardware packs

BARSTOOL














Caution: This Barstool is NOT a TOY.









Keep your child/children at bay during the assembly process.

Whenever moving/lifting the Barstool and to prevent damage to the Barstool, two adult partners may be needed to execute these actions.

Parts List:




Label	Picture	Description	QTY
A		Front Right Leg	1
B		Front Left Leg	1
C		Back Right Leg	1
D		Back Left Leg	1
E		Seat Panel Frame	1
F		Backrest	1
G		Seat Panel	1
H		Front Connecting Bar	1
I		Back Connecting Bar	1
J		Cross Bar	1
K		Cushion	1

Hardware:

No	Picture	Description	QTY
①		Nut M8mm	9
②		Washer M8mm	9
③		Screws (M6x60mm)	5
④		Screws (M6x40mm)	3
⑤		Screw (M4x30mm)	5
⑥		Screw (M4x25mm)	5
⑦		Allen Wrench	1
⑧		Wrench	1


Assembly Preparation:

Before Beginning Assembly:




Assembly Steps:

Overview:




This Barstool has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Barstool parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1:




Unpack and place all parts on a clean, non-marring surface.

Step 2:




With the help of your adult partner, place the Seat Panel Frame (E) facing down and then add the Front Right Leg (A) and Front Left Leg (B) to the Seat Panel Frame (E) and secure by using Nuts (1) + washer (2) by Wrench (8) after that fix the Front Connecting Bar (H) with 02 screws (3) by Allen Wrench (7). **DO NOT fully tighten the Nuts and screws.**

Step 3:




Fix the Cross Bar (J) with the Front Connecting Bar (H) by using 01 screws (3) by Allen Wrench (7). **DO NOT fully tighten the screws.**

Step 4:



Add the Back Left Leg (D) and Back Right Leg (C) to the Seat Panel Frame (E) and secure by using Nuts (1) + washer (2) by Wrench (8). Fix the Back Connecting Bar (I) with 02 screws (4) by Allen Wrench (7) after that fix the Back Leg Frame with the cross Bar (J) by Screw (3) and the Allen Wrench (7). **DO NOT fully tighten the Nuts and screws.**




Step 5:



Fix the backrest (F) with Seat Panel Frame (E) by using 04 Screws (6) by screwdriver **DO NOT fully tighten the screws.**

Step 6:


Step 6.1



Step 6.2

Fix the Seat Panel (G) with Seat Panel Frame (E) by using 04 Screws (5) by screwdriver. **DO NOT fully tighten the screws.**

Step 7:



Leveller




Adjust high for balance

Adjust low for balance

Adjust Pre-installed Levellers height for balance

With the help of your adult partner, stand the Barstool up.
Exert pressure floorwards, onto the Barstool with both your hands.
This pressure will help the Legs and Barstool Top reach full alignment status.
Check for wobbles on a LEVEL surface.
If no wobbles are found proceed to tighten the Bolts in a sequential manner, until evenly secured.
When tightening the Bolts tighten sequentially.
If there are still wobbles please loosen or tighten the 01 or all leveller under legs and do the same above process when move the Barstool to another place.
WARNING!! IF THE BARSTOOL IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.

Step 8:



INSERT THE CUSHION AND TIGHT BY MAGIC TAPE TO THE SEAT
FLATS Your Barstool is ready for use.
This Barstool can only be used on a flat, level surface