











Assembly Instructions


Caution : You must read these Assembly Instructions before you proceed

Care & Maintenance

- ⊘  ● Not for commercial use. For residential use only.
- ⊘  ● Do not put hot items directly on furniture surface.
- ⊘  ● Do not clean furniture with harsh cleansers or polish.
- ✓  ● To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- ⊘  ● Children should not climb or jump on the furniture.
- ⊘  ● Do not write on furniture without a padded barrier to protect the surface.
- ✓  ● To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
- ⊘  ● Stains may be removed with mild soap solution and damp cloth.
- ✓  ● Keep away from sources of ignition.
- ✓  ● Dust and pick-up spills using a clean, non-colored, lint-free cloth.










Please look under the Seat Panel for hardware packs.

3 SEATER







CAUTION: This 3 Seater is **NOT** a TOY.
Keep your child / children at bay during the assembly process.
Two adults may be needed to execute these actions.
Whenever lifting or moving the 3 Seater and to prevent any damage to it.






Parts List

Label	Picture	Description	QTY
A		Left Leg Panel	1
B		Right Leg Panel	1
C		Left Backrest Panel	1
D		Right Backrest Panel	1
E		Left Seat Panel	1
F		Right Seat Panel	1
G		Support Bar	2
H		Left Center Leg	1
I		Right Center Leg	1

Parts List


Label	Picture	Description	QTY
J		Back Cushion	3
K		Left Seat Cushion	1
L		Center Seat Cushion	1
M		Right Seat Cushion	1

Hardware

Label	Picture	Description	QTY
①		Hex Screw (M6x30mm)	11
②		Bolt (M6x30mm)	14
③		Bolt (M6x40mm)	9
④		Connecting Cap (M6x15mm)	12
⑤		Allen Wrench (M4)	2

Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This 3 Seater has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the 3 Seater parts, the above picture is provided to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.

Step 2




Place the Left Leg Panel (A) and Left Backrest Panel (C) with its inner side face skywards onto a clean, soft surface to avoid any scratches or damages to the product.

With the help from your partner, stand the assembled Left Leg Panel (A) and Left Backrest Panel (C) standing as shown in picture above.

Align the Mounting Position of Left Leg Panel (A) into the Mounting Position of Left Backrest Panel (C) as shown above.


Then, affix the Left Backrest Panel (C) with Left Leg Panel (A) by using Bolt (2) and Connecting Cap (4) with Allen Wrench (M4) (5).

Step 3




Align the Mounting Position of Right Leg Panel (B) into the Mounting Position of Right Backrest Panel (D) as shown above.
Then, affix the Right Backrest Panel (D) with Right Leg Panel (B) by using Bolt (②) and Connecting Cap (④) with Allen Wrench (M4) (⑤).

Step 4




Align the Mounting Position of Left Backrest Panel (C) into the mounting of Right Backrest Panel (D) as shown above.
Then, affix the Left Backrest Panel (C) to Right Backrest Panel (D) by using Bolt (②) and Connecting Cap (④) with Allen Wrench (M4) (⑤).

Step 5




Align the Mounting Position of Left Backrest Panel (C) into the mounting of Left Center Leg (H) as shown above.
Then, affix the Left Backrest Panel (C) to Left Center Leg (H) by using Bolt (②) with Allen Wrench (M4) (⑤).

Step 6




Align the Mounting Position of Right Backrest Panel (D) into the mounting of Right Center Leg (I) as shown above.
Then, affix the Right Backrest Panel (D) to Right Center Leg (I) by using Bolt (2) with Allen Wrench (M4) (5).

Step 7




Align the Mounting Position of Left Center Leg (H) into the mounting of Right Center Leg (I) as shown above.
Then, affix the Left Center Leg (D) to Right Center Leg (I) by using Bolt (2) and Connecting Cap (4) with Allen Wrench (M4) (5).

Step 8




Align the Mounting Position of Right Leg Panel (B) and Right Center Leg (I) into the mounting of Support Bar (G) as shown above.
Then, affix the Support Bar (G) to Right Center Leg (I) and Right Leg Panel (B) by using Bolt (3) with Allen Wrench (M4) (5).

Step 9




Align the Mounting Position of Left Leg Panel (A) and Left Center Leg (H) into the mounting of Support Bar (G) as shown above.
Then, affix the Support Bar (G) to Left Center Leg (H) and Left Leg Panel (A) by using Bolt (3) with Allen Wrench (M4) (5).

Step 10




Put Left Seat Panel (E) and Right Seat Panel (F) on the Seat Frame.

Step 11




Align the Mounting Position of Left Leg Panel (A), Left Center Leg (H) and into the mounting of Left Seat Panel (E) as shown above.
Then, affix the Left Seat Panel (E) to Left Center Leg (H), Left Leg Panel (A) by using Bolt (①) with Allen Wrench (M4) (⑤).

Step 12




Align the Mounting Position of Right Leg Panel (B), Right Center Leg (I) and into the mounting of Right Seat Panel (F) as shown above.
Then, affix the Right Seat Panel (F) to Right Center Leg (I), Right Leg Panel (B) and by using Bolt (①) with Allen Wrench (M4) (⑤).

Step 13




Put Left Seat Cushion (K), Center Seat Cushion (L), Right Seat Cushion (M) on the 3 Seater.

Step 14




Tight ropes under the Left Seat Cushion (K), Center Seat Cushion (L) and Right Seat Cushion (M) on the Left Seat Panel (E) and Left Seat Panel (F).

Step 15



Put Back Cushion (J) on the 3 Seater.

Step 16



**Adjust Pre-installed Levellers
height for balance**

Turn the **3 Seater** right side up.

Inspect the **3 Seater** and make sure all parts are adequately connected.

In a sequential manner, tighten **ALL Screws and Bolts at ALL joints**.


With assistance from your adult partner, adjust the **Levellers** to the desired height, to avoid wobbles.

CAUTION : When tightening these screws and bolts, tighten sequentially.

DO NOT tighten any screw or bolt fully and then move towards the next one.

This could cause the frame to warp.

WARNING : IF THE 3 SEATER IS NOT STABLE, IT COULD LEAD TO DAMAGE IN THE 3 SEATER



Your 3 Seater is ready to use.

This 3 Seater can only be used on a flat, level surface

