

# Guide Book



WARNING: The toy is to be assembled by an adult. In unassembled state contain potentially hazardous sharp points, sharp edges and small parts, so please keep out of baby's reach.



WARNING: To reduce the risk of injury, adult supervision is required. Never use in roadways, near motor vehicles, on or near steep inclines or steps, swimming pools or other bodies of water, always wear shoes, and never allow more than 2 riders.

If you have any question, please contact at [L843485741@outlook.com](mailto:L843485741@outlook.com) directly.

# ASSEMBLY INSTRUCTION

# About the products

Thank you for choosing our children electric car. We always keep pursuing being outstanding and designing comfortable and safe ride on car for children.

Please read this instruction carefully before use, it will tell you the right way of assembling and operating. To avoid incorrect operations damaging the product or injuring your children. Please keep this instruction.

# Specifications

Battery : 24V7AH\*1

Motor : 24V\*4

Applicable age : 3+ years old

Maximum load : 50KG

Charge time : Charge 8-12 hours

Charger : 24V800mA


Speed : 2.6-5KM/h

# Parts List

Part Number	Part Name	Picture	Q'ty (pcs)	Part Number	Part Name	Picture	Q'ty (pcs)
1	CAR BODY		1	2	FRONT AXLE (WITH TWO NUTS)		1
3	REAR AXLE (WITH TWO NUTS)		1	4	STEERING WHEEL		1

Part Number	Part Name	Picture	Q'ty (pcs)	Part Number	Part Name	Picture	Q'ty (pcs)
<b>5</b>	BUMPER		1	<b>6</b>	WHEEL		4
<b>7</b>	FRONT WHEEL MOTOR (L/R)		1	<b>8</b>	SEAT		1
<b>9</b>	REAR WHEEL MOTOR (L/R)		1	<b>10</b>	FRONT AXLE FIXING ROD		1
<b>11</b>	REAR TAIL FRAME		1	<b>12</b>	REARVIEW MIRROR (L/R)		1
<b>13</b>	DRIVEN CONNECTOR		4	<b>14</b>	WHEEL CAP		4
<b>15</b>	EXCAVATOR ARM		1	<b>16</b>	EXCAVATOR ARM BASE		1
<b>17</b>	FRONT MUDGUARD (L/R)		1	<b>18</b>	JOYSTICK		1
<b>19</b>	FRONT ACCESSORIES		1	<b>20</b>	PEDAL		1
<b>21</b>	WRENCH TOOL		2	<b>22</b>	CHARGER		1
<b>23</b>	WRENCH		1	<b>24</b>	M4*12 MM FLAT HEAD SCREW		2
<b>25</b>	M4*12mm Round head screw		14	<b>26</b>	M4*16 MM SCREW		5
<b>27</b>	12#Gasket		4	<b>28</b>	10#Gasket (On the front axle)		2
<b>29</b>	M10 nut (Four on the front axle Two on the rear axle)		6	<b>30</b>	REMMOTE CONTROL		1

# Analytic graph



# Assembling

- The vehicle should be assembled by adult before use. It will take 30 minutes to complete.
- The small parts might cause choke, please keep away from the children.
- Please check the number of the parts before assembling, and keep the packaging bags away from the children in case of choke.



## Installation Order Diagram

### 1. INSTALL FRONT AXLE COMPONENTS

1. Install the horizontal axis and shock absorber into the front axle according to the diagram
2. Install the front axle assembly into the vehicle body and secure it with nuts
3. Fix the steering shaft with shims and split pins




Lift the guard board and take out the foam



### 2. INSTALL THE FRONT WHEELS

1. Install all wheels onto the connecting shaft and use three round head screws (4 \* 12mm) fixed
2. Install the left and right motors onto the wheel axle, paying attention to distinguishing the (L/R) on the motor from the vehicle body, and connect the power cord



3. Install the wheels, 12#Gasket and nuts into the front axle in sequence, secure them with socket tools, and finally install the wheel cover





### 3. INSTALL THE REAR STAND, REAR AXLE, AND REAR WHEEL

1. First, remove the screws and nuts on the rear frame as shown in the figure, lift the rear frame, install the foot pedal bracket into the corresponding position, and fix it with screws and nuts (5 × 35).




2. As shown in the figure, first remove the screws and nuts on the rear frame, insert the bracket into the corresponding position, and fix it with screws and nuts (5X30).




3. Thread into the rear axle



4. Distinguish between the left and right motors and install them separately on both sides



5. Install the wheels, 12# Gasket, and nuts into the front axle in sequence, secure them with socket tools, and finally install the wheel cover



## 4. INSTALL STEERING WHEEL


Connect the power cord and clip the steering wheel into the vehicle body



## 5. INSTALL CRASH BARRIERS, STEERING WHEEL, AND FRONT ACCESSORIES



Install the crash barrier, clip it into the vehicle body, and secure it with two (4 \* 12mm) round head screws



Simply clip the exhaust pipe and guardrail decoration into the vehicle body

## 6. CONNECT THE MAIN



## 7. INSTALL THE SEAT



As shown in the figure, first clip the backrest into the vehicle body, then clip the seat into the backrest, and fix it with two flat head screws (4 \* 12mm).


## 7.EXCAVATE THE ARM AFTER INSTALLATION



1. First, install the body connectors and fix them with Five flat head screws (4 \* 16mm).



2. Insert the water gun into the vehicle and connect the power cord.



3. Install the control lever and secure it with screws uomu (5X45mm).



Install the guardrails on both sides and clip them into place



# Function



## Button function

- ① Start button
- ② Light button
- ③ Speed button
- ④ MP3 Player
- ⑤ Forward  
Stop  
Back
- ⑥ Foot pedal

⑦ Front wheel motor cut-off switch: Press the switch to "2WD", the front wheel motor is disconnected and the front wheel can be rolled. Press the switch to "4WD" to connect the front wheel motor.

**Attention:** When climbing slopes or transporting two children on the car, please switch to "4WD" mode to prevent motor damage from overload. Continuous operation in "2WD" drive mode under these conditions may lead to motor failure.



## Remote Control Function and Instructions

① Install battery: open the battery cover which is in the remote control, install two pieces of AAA (1.5V)(#7) dry batteries, pay attention to the polarity of battery before installing. Put on the battery cover and use screws to fix (please follow above steps when renew a long the battery, only adults can renewal it. Please don't mix the new and old batteries or different batteries. Please take away the exhausted batteries from the toys in time.)

② use method:

a. use for the first time needs to match code this product has storage function. Replace battery or restart don't need to match code.

b. Press “ ≈ ” keys for 3 seconds at the same time to start matchcode, The first LED flickers.

c. Turn the car body power on now, The first LED lites up, Match code Succeeds.

d. Press Remoter for 10 seconds if it doesn't run it will be stand by, Press any key wake it up.

e. Keys caption: “ ▲ ” Forward, “ ▼ ” Back, “ ◀ ” Left, “ ▶ ” Right, “ S ” Speed, “ P ” Brake. Press “ S ” key to accelerate (1 LED lit up is low speed, 2 LED lit up is medium speed, 3 LED lit up is high speed). Back a car is only low speed Press “ P ” key hold the brake, All LED flicker




## Charging steps are as follows:

Step 1 : The charging port is located under the seat

Step2: Put the charger plug into the plug hole.

Step 3: Connect the charger to the power socket.



**Warning: Car must be charged by adults only. Car is useless during charging**

## Warning

To make your baby safety driving, you must pay attention on the below warnings:

- 1.Assemble and adjustment of products must be done by adult, please make children far away from the motion parts.
2. Small parts in it, which is not suitable to be used by the children under 3 years old!
3. Must correctly use the life belt when children sits. Don't close to fire!
4. The children must use this product under the guidance of adults, and the guardian can't leave during the using process!
5. Don't allow the children stand or play on the foot pedal(or in the electric car).
- 6.charging the storage battery must be done by adults.Please charge at first before use this product!
7. To avoid to hurt children, please make the package materials like plastic bag far away from the children! Asphyxiation hazard!
8. Strictly forbidden to use any accessories which are not provided by manufacturer.
9. Don't use charges as joys.
10. The maximum load of this car is 50KG, can't overload.
- 11.The suitable age scope of this car:3+ years old.
12. The toy can't connect to too many power supplies which exceeds the recommend numbers.
13. The toy(complete car) can't be operated during charging.

## Notices for charging

1. When use the electric car for the first time,the user must guarantee the positive and negative pole of power supply have already correctly connected. Must guarantee that storage battery is charged for 8 hours, otherwise, it will perpetually damage the storage battery which can't recover.
- 2.Plug the DC plug of charger into the charge hole at first, then plug the charger into power outlet.
3. Must charge in time after using about one hour each time, the normal charge time is from 8 to 12 hours, and charge time for every time can not exceed 20 hours.
4. During the charging process, it is normal for the charger temperature to be lower than 60°C, and normal for the storage battery temperature to be lower than 45°C.
5. If there is stagnant water in the connect/plug part ,it can't charge, otherwise it maybe cause short circuit.
- 6.This electric car must use the charger and storage battery configured with this car to avoid to damage the charge and storage battery or electric circuit.
7. charge at least once a month . if don't use the electric car for a longtime, please plug out the connect/plug part of storage battery.
- 8.Only use the battery specified by the manufacturer.
- 9.Only use the charger specified by the manufacturer.

## Use notices

1. Please check whether all parts are installed on position, tightly connect before use.
  2. Can't use in the dangerous area like streets, roads, slopes and ditches, etc.
  3. Please don't use it on smooth ground, for example marbles, ground tiles, etc.
  4. Don't shift forward/backward switches when the electric car is running. Please note that don't allow children to stand on the seat.
  5. Don't change the circuit and additional electrical devices of this car.
  6. The remote controller and electric car can't be used in rain or water, don't pour the water or other liquid on the car or other places to make it soaking and make it far away from the fire source to avoid to cause circuit damaged.
  7. Electrical car stops running when it touches hinder, please run after leaving the hinders.
  8. Don't use in room to avoid to crack up the furniture even though make the children tumble.
  9. When the quantity of electricity of battery of remote controller is not enough, it will occur that the complete car can only remote forward, can't remote left/right direction, shortens remote distance and shakes, please renewal battery in time.
  10. Please shut off the power supply switch when don't use it, please plug out the connect/plug parts of storage battery.
  11. This product limits to one people, can't be overloaded, the maximum load is 50kg.
- Note: the product picture, functional and introduce in this specification only for reference, project to the physical entity

## Maintenance

1. To guarantee that your baby will not be hurt unexpectedly, please frequently check and maintain this car.
2. Check if package assemblies are complete before assembling, contact us immediately if there is a lack.
3. Check whether has screws loosen or parts damaged on a regular basis.
4. Please frequently check whether it is intact when each part is installed or used.
5. When disassembling, please operate according to the operating specification carefully to avoid to cause unnecessary damage.
6. Please check product and the charger used on a regular basis, check whether wire, plug, outer shell and other parts are damaged and you should stop use if find damage, till it is repaired well.
7. Please do cleaning for this product at a regular time, fill lubricating oil into rotating parts. Be careful not to damage the electric elements, don't use water to wash, use dry cloth to wipe.