










Assembly Instructions


Parts List

A		Left back	1	K		Iron frame	1
				L		Wooden batten	4
B		Right back	1	M		Rear seat plate	1
				N		Front seat plate	1
C		Left arm	1	O		Feet	4
				P		Feet	2
D		Right arm	1	Q		Screw M8*20mm	20
E		Left cushion	1	R		Screw M8*50mm	16
F		Right cushion	1	S		Wrench	1
				T		Connector	4
G		Backrest	2	U		Power cord	1
H		Pillow	2	V		Power line switch	1
				W		Jack-plug	1
J		Seat cover plate	2	X		Remote control	1


Assembly Instruction

Step 1

Connect the armrest to the front frames of the seat.
Please note that the screws are only tightened by 80%.



Pay attention to distinguishing between top and bottom.




Q*8


S*1

Step 3

Connect the armrest to the rear frames of the seat.
Please note that the screws are only tightened by 80%.



Pay attention to distinguishing between top and bottom.



Please note that all screws are tightened 100%.



Q*8




S*1

Assembly Instruction

Step 4

Install 4 Wooden Battens
Please note that all screws are tightened 100%.




R*12



S*1

Step 5

Install Iron Frame




Q*4



S*1


Step 6

Install the chair legs.




Step 7

Place the seat board into the seat frame.




Step 8

Connect the two backs first, then insert the back frame



Step 9


Install the backrest screws




 **C***4

 **D***1

Step 10 Place the seat cushion and backrest properly.





Step 11 Install the power supply.



Under the sofa bottom, install the light belt in the front circle and connect the power switch plug

Step 12

Install the power supply.



Under the sofa, install the light belt in the front circle, and connect the power switch plug