Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



• Do not place furniture near heating or cooling vents.



• Do not write on furniture without a padded barrier to protect the surface.



• Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.




 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in sofa for hardware packs and legs.

Sets often ship in multiple boxes and may arrive a day or two apart.

SECTIONAL SOFA



Parts List

Label	Picture	Description	QTY
Α		Left Sofa Wooden Frame Base	1
В		Right Sofa Wooden Frame Base	1
С		Left Wooden Frame Backrest	1


D	Right Wooden Frame Backrest	1
E	Center Wooden Frame Backrest	1
F	Left Handrail	1
G	Right Handrail	1
Н	Sofa Center Legs	2
I	Wooden Sofa Legs	2
J	Large Cushions	3

K		Small Cushions	1	
L		Large Back Cushion	3	
М		Small Back Cushion	2	
Hardware				
Label	Picture	Description	QTY	
1)		Single Head Screw(M8×60mm)	7	
2		Double Headed Screw(M8*90mm)	13	
3		Gaskets	20	
4		Nut	13	
(5)		Allen Wrench	1	
6		Wrenches	1	

7	0 0	Metal Pins	6
8		Spring Shims	20

Assembly Preparation

Before Beginning Assembly:





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




• Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-

Assembly Steps




This Sectional Sofa has multiple parts and may require up to some <u>30</u> minutes to assemble.

To give you an overview of the Sectional Sofa parts, the above picture is to help you put the various parts into perspective.


Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Note: It is recommended that you have an adult partner to assist during the entire assembly process.



Remove Left Sofa Wooden Frame Base (A), Left Wooden Frame Backrest (C), Right Wooden Frame Backrest (D), Large Cushions (J), Large Back Cushion (L), and Small Cushions (K) from Carton 2-1 and place on a clean, non-scratched surface.


Step 2




Remove Right Sofa Wooden Frame Base (B), Left Handrail (F), Right Handrail (G), Large Cushions (J), Large Back Cushion (L), Small Back Cushion (M), Sofa Center Legs (H), Wooden Sofa Legs (I), and Center Wooden Frame Backrest (E), and the hardware bag from Carton 2-2 and place on a clean, non-scratched surface.

Step 3


Screws(2).




3-1:Tilt Left Wooden Frame Backrest (C)to insert Metal Pins(⑦)into the woodenframe at both ends,do not insert it tightly at once,just insert it and it won't fall off.
3-2:Screw one of the ends of the Double-Head Screws(②)into the hole in the centeof the Left Wood Frame Backrest (C),and in this step,tighten the Double-Head




- 4-1:Insert Left Wooden Frame Backrest (C) with Metal Pins (⑦) and Double Headed Screw (②) diagonally into the corresponding hole in Left Sofa Wooden Frame Base(A).
- 4-2:Flip Left Sofa Wooden Frame Base (A) and Left Wooden Frame Backrest (C) over and screw Nut (4),Gaskets (3) and Spring Shims (8) into Double Headed Screw (2) with Wrenches (6);tighten Nut (4) in this step.




- 5-1: Twist Double Headed Screw (②) into the five holes of Left Handrail (F) with a hand screw, and tighten Double Headed Screw (②) in this step.
- 5-2: Place Left Sofa Wooden Frame Base (A) and Left Handrail (F) vertically on the floor. Place Left Sofa Wooden Frame Base (A) and Left Handrail (F) close together and lock Double Headed Screw (②) with Spring Shims (⑧) and Gaskets (③), Nut (④) and Wrenches (⑥) in that order.



- 6-1: Install Sofa Center Legs (H) in hole in center of Left Sofa Wooden Frame Base (A) and tighten Sofa Center Legs (H) in this step.
- 6-2: Align the two holes on the body of Wooden Sofa Legs (I) with the two holes on the right side of Left Sofa Wooden Frame Base (A), and twist Spring Shims (③), Gaskets (③), and Single Head Screw (①) with Allen Wrench (⑤).




Rotate the sofa body,unzip the zipper on the side of Left Wooden Frame Backrest (C),align Double Headed Screw(②)in Left Handrail(F),twist Nut (④),Gaskets(③)and Spring Shims(⑧)in sequence with Wrenches (⑥),and reattach the zipper after twisting.




- 8-1:Tilt Right Wooden Frame Backrest (D) to insert Metal Pins (⑦) into frame ends.Center Wooden Frame Backrest (E) Same procedure as above.Do not insert all at once,but gently so it will not come out.
- 8-2:Screw one end of the Double Headed Screw (②) into the hole in the center of the Right Wooden Frame Backrest (D),and screw one end of Double Headed Screw(②) into the hole in the side of Center Wooden Frame Backrest (E).And tighten the Double Headed Screw(②)in the above step.

Step 9 9-1 D D D D D D The Reverse Side


9-1:Insert Right Wooden Frame Backrest (D) diagonally into the hole on the back side of Right Sofa Wooden Frame Base (B),then insert Center Wooden Frame Backrest (E)in the same steps into the hole on the side of Right Sofa Wooden Frame Base (B). 9-2:Turn the sofa frame to the back and pass Double Headed Screw (②) through Right Sofa Wooden Frame Base (B). Tighten Nut (④),Gaskets (③) and Spring Shims (⑥) in order with Wrenches (⑥).



- 10-1: Twist Double Headed Screw (②) into the five holes of Right Handrail (G) with a hand screw, and tighten Double Headed Screw (②) in this step.
- 10-2: Place Right Sofa Wooden Frame Base (B) and Right Handrail (G) vertically on the floor. Place Right Sofa Wooden Frame Base (B) and Right Handrail (G) close together and lock Double Headed Screw (②) with Spring Shims (⑧) and Gaskets (③), Nut (④) and Wrenches (⑥) in that order.





- 11-1: Install Sofa Center Legs (H) in hole in center of Right Sofa Wooden Frame Base (B) and tighten Sofa Center Legs (H) in this step.
- 11-2: Align the two holes on the body of Wooden Sofa Legs (I) with the two holes on the right side of Right Sofa Wooden Frame Base (B), and twist Spring Shims (⑧), Gaskets (③), and Single Head Screw (①) with Allen Wrench (⑤).



Rotate the sofa body, unzip the zip on the left side of Right Wooden Frame Backrest (D), align Right Handrail (G), and twist Spring Shims (8), Gaskets (3) and Nut (4) with Wrenches (6).

Unzip the right side of Right Wooden Frame Backrest (D), align it with Center Wooden Frame Backrest (E), insert Spring Shims (③), Gaskets (③), and Single Head Screw (①) into Center Wooden Frame Backrest (E), and tighten using (⑤).






Align the left sofa frame with the right sofa frame snap to fasten.

NOTE:


- 1. Insert only half of the hardware into the arm frame or backrest frame box. Do not insert completely.
- 2. Gently press down on your fingers to prevent the hardware from falling out.
- 3. At an angle of approximately 45 degrees, first align the hardware with the gap in the seat box.
- 4. Once the holes are aligned, hold it vertically down vertically and press with both hands at the same time.

Step 14




Rotate the sofa body, open the zip on the Left Wooden Frame Backrest (C) side, align Spring Shims (®), Gaskets (®) and Single Head Screw (1) with Center Wooden Frame Backrest (E), then tighten them with Allen Wrench (⑤), and then close the zip again.

Step 15



Place Large Cushions (J), Small Cushions (K) on the base and Large Back Cushion (L), Small Back Cushion (M) in front of the backrest



Your sofa is ready for use.

This sofa should only be used on flat, level surfaces.

Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

What types of chemicals are on the Proposition 65 list?
 The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

• Where can I get more information on Proposition 65? If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.