
ASSEMBLY INSTRUCTIONS

Caution: You must read this before you proceed

Care & Maintenance	
	Not for commercial use. For residential use only.
0 555	 Do not put hot items directly on furniture surface.
0	Do not clean furniture with harsh cleansers or polish.
	 Do not place furniture under direct sunlight.
	Do not place furniture near heating or cooling vents.
0 L	Do not write on furniture without a padded barrier to protect the surface.
	Do not place furniture outside . For indoor use only.
	Stains may be removed with mild soap solution and damp cloth.
	Children should not climb or jump on the furniture.
√	Dust and pick-up spills using a clean, non-colored, lint-free cloth.

CORNER



PARTS LIST:

Label	Picture	Description	QTY
Α		Left armrest	1
В		Right armrest	1
С		Left bottom frame	1
D		Right bottom frame	1
E	2	Middle bottom frame	1
F		Corner bottom frame	1
G		Backrest	3
Н		Corner short backrest	1
		Corner long backrest	1
J		Pillow	3
K		Sofa leg	16

Hardware:

Label	Picture	Description	QTY
1		Long Screws (M8x50mm)	18+1
2		Spring gasket	18+1
3		Gasket	18+1
4		Allen Wrench	1

Assembly Preparation


and remove them before starting assembly.

E

1) ×19 (2) ×19 (3) ×19 (4) ×1 G×16

Note:Place pillows, backrests, and accessories in the bottom space of the left, middle and right bottom frames,

Before Beginning Assembly:





• Read instructions, cover to cover-



• Have 2 adults on hand for assembly-



• Do not assemble on flooring or carpet-




• Assemble on a clean non-marring surface (packing foam)-




• Save all packaging until finished-

Assembly Steps




This Loveseat has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Loveseat parts, the above picture is to help you put the various parts into perspective. Please read through the instructions herebelow to familiarise the parts and steps before assembly.

Step 1:




Step 2:




Place the right bottom frame (D) vertically on the ground, place the backrest (G) against its front groove, and then fix them together with long screws (\bigcirc), spring washers (\bigcirc), and washers (\bigcirc) as shown in the figure. Repeat the process in the same way for the left side and middle (C, G)&(E,G).

Step 3:




Place the corner bottom frame (F) vertically on the ground, place the corner short backrest (H) against its front groove, and then fix them together with long screws (1), spring washers (2), and washers (3) as shown in the figure. Repeat the process in the same way corner long backrest(F,I).

Step 4:




Then place the right armrest (B) flat on the ground, flip the right frame (D) to the right, so that the right frame is on top of the right armrest (B). Use long screws (1), spring washers (2), and gasket (3) to fix them together. Repeat the process for the left side (A, C) in the same way.

Step 5:




Install the sofa leg(G) in the hole of the armrest(A,B) and bottom frame(C,D,E,F).

Step 6:




Turn to the back of the semi-finished product, and use the end velcro to stick the back cloth(G/H/I) to the bottom of the bottom frame(C/D/E/F)

Step 7:




Use the hardware connector on the side of the bottom frame (C,D,E,F),to connect the Each bottom frame,as shown in the figure.

Step 8:



Place the pillow(J) in front of the backrest.

Packing List BOX 3-1



BOX 3-2

