Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance







 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.




• Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth. Please look in the Dining Chair for hardware packs.

Dining Chair



CAUTION: Dining Chair is NOT a TOY


Keep your child / children at bay in the process of assembly.

For turning the Counter Chair and to prevent damage to the Counter Chair, 02 persons may be needed to execute this action.

Parts List			
No.	Picture	Description	Qty
A		Left Side Panel	1
В		Right Side Panel	1
С		Backrest Panel	1
D		Seat Cushion	1
<u>Hardware</u>			
		Description	
1		Bolts (M6x35)	7
2		Screws (M6x80)	3
3		Allen Wrench	1

Assembly Preparation

Before Beginning Assembly:





· Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-


Assembly Steps



Dining Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Dining Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.




Unpack and place all parts on a clean, non-marring surface.



Place the Seat Panel (D) lie as shown in the picture above onto a clean, soft surface to avoid any scratches or damage to the product. With assistance from your adult partner(s):


Attach the Backrest Panel (C) to the Seat Panel (D), using Screws (2) and the Allen Wrench (3) as shown above. **DO NOT fully tighten the Screws at this time.**



With assistance from your adult partner(s):

- 3.1 Insert dowel on Backrest Panel (C) & Seat Panel (D) into housing on Left Leg Panel (A) as shown above.
- 3.2 Attach Backrest Panel (C) & Seat Panel (D) of step 2 to the Left Leg Panel (A), using Bolts (1) and the Allen Wrench (3) as shown above.


DO NOT fully tighten the Bolts at this time.



With assistance from your adult partner(s):

- 4.1 Insert dowel on Backrest Panel (C) & Seat Panel (D) into housing on Right Leg Panel (B) as shown above.
- 4.2 Attach Backrest Panel (C) & Seat Panel (D) of step 3 to the Right Leg Panel (B), using Bolts (1) and the Allen Wrench (3) as shown above.

DO NOT fully tighten the Bolts at this time.



Place the **Dining** Chair right side up on a LEVEL SURFACE to see if it wobbles. If it wobbles, lift the Chair to some 30cm to 50cm height from the ground. Keep your feet and toes well away from the drop zone.

Drop the **Dining** Chair freely and vertically with the four legs, hitting the ground, at the same time. This Drop Test will help to ensure that all the bolts, Screws and gaps all reach full alignment status.

Test again for evenness on a LEVEL SURFACE.

If no wobbles are found, proceed to tighten all the Screws, and Bolts.

CAUTION: When tightening the bolts/screws, tighten sequentially.

DO NOT tighten any Bolt, or Screw fully and then move towards the next one.

This could cause the frame to warp.

If there are still wobbles, loosen the Screws and Bolts and execute this same drop tests. --IF DINING CHAIR IS NOT STABLE, IT COULD LEAD TO DAMAGE TO THE PRODUCT.

Your Chair is ready to be used.

This Chair can only be used on a flat, level surface.

Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

• What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

• Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.