
ASSEMBLY INSTRUCTION

SKU CODE: BW00246





SAFETY WARNINGS



1. This bed is designed for use only mattress(es) meeting the following specifications on the upper bunk and lower bunk:

Upper bed

Bed TypeLengthWidthThicknessQueen Standard80"60 1/2"6" max

Lower bed

Bed TypeLengthWidthThicknessTwin Standard74"-75"38 1/2"6" max

- 2. Replacement parts, including additional guardrails, maybe obtained from any of our (ANH THUAN PHAT IMPORT-EXPORT COMPANY LIMITED) dealers.
- 3. Follow the information on the warnings appearing on the upper bunk bed end structure and on the carton. Do not remove warning label from bed.
- 4. Always use the recommended size mattresses or mattress supports, or both, to help prevent the likelihood of entrapment or falls.
- 5. Surface of the mattress must be at least 5". (127 mm) below the upper edge of guardrails.
- 6. Do not allow children under 6 years of age to use the upper bunk.
- 7. Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
- 8. Do not allow horseplay on or under the bed and prohibit jumping on the bed
- 9. Always use the ladder for entering and leaving the upper bunk.
- 10. Do not use substitute parts. Contact the manufacturer or dealer for replacement parts.
- 11. Use of a night light may provided added safety precaution for a child using the upper bunk.
- 12. Always use guardrails on both long sides of the upper bunk. If the bunk bed will be placed next to the wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and wall.
- 13. The use of water or sleep flotation mattresses is prohibited.
- 14. STRANGULATION HAZARD Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hook, belts and jump ropes.
- 15. Keep these instructions for future reference
- 16. Prohibit more than one person on upper bunk.
- 17. We recommend assembling your bunk bed on the shipping carton to protect your floor or carpet.
- 18. Be certain all staples are out of the box before beginning assembly on the shipping carton.



SAFETY WARNINGS



1 At the beginning:

Tighten all hardware.

Check metal parts for rust. If found, sand and repaint using a non-lead-based paint meeting the requirements of 16 CFR 1303.

Check all wood members for deterioration and splinters. Sand down splinters and replace deteriorating wood members. Rake and check depth of loose fill protective surfacing materials to prevent compaction and to maintain appropriate depth. Replace as necessary.

2. Twice a month


Tighten all hardware.

Rake and check depth of loose fill protective surfacing materials to prevent compaction and to maintain appropriate depth. Replace as necessary.

- 3. Owners shall be responsible for maintaining the legibility of the warning labels.
- 4. Disposal Instructions-

There shall be instructions advising the owner to disassemble and dispose of the playground equipment in such a way that no unreasonable hazards will exist at the time the playground equipment is discarded.

- 5. The instructions shall also include the information found in Section 4 of the United States Consumer Product Safety Commission's (USCPSC) Outdoor Home Playground Safety Handbook or specific surfacing guidelines for the product consistent with the USCPSC Handbook. A copy of this section may be found in Appendix X2.
- 6. Observing the following statements and warnings reduces the likelihood of serious or fatal injury.
- 7. Specifying the number and weight of occupants that may safely use the equipment singly or simultaneously,
- 8. Recommending on-site adult supervision for children of all ages,
- 9. Warning the owner to instruct children not to use the equipment in a manner other than intended,
- 10. Warning the owner to instruct children not to get off equipment while it is in motion,
- 11. Warning the owner not to allow children to wear inappropriate items, such as but not limited to, loose fitting clothing, hood and neck drawstrings, scarves, cord-connected items, capes and ponchos. These items can cause death by strangulation.
- 12. Warning the owner to instruct children not to climb when the equipment is wet.
- 13. Warning the owner to instruct children not to attach items to the playground equipment that are not specifically designed for use with the equipment, such as, but not limited to, jump ropes, clothesline, pet leashes, cables and chain as they may cause a strangulation hazard
- 14. Warning the owner to instruct children to remove their bike or other sports helmet before playing on the playground equipment.
- 15. Warning the owner to dress children with well-fitting and full foot enclosing footwear. Examples of inappropriate footwear are clogs, flip flops, and sandals.
- 16. Place the equipment on level ground, not less than 6 ft (1.8 m) from any structure or obstruction such as a fence, garage, house, overhanging branches, laundry lines, or electrical wires
- 17. Do not install home playground equipment over concrete, asphalt, packed earth, grass, carpet, or any other hard surface. A fall onto a hard surface can result in serious injury or death to the equipment user
- 18. To prevent serious injury, cautionary statements shall be included which warn that children must not use the equipment until properly installed.




Page 4 of 48


ASSEMBLY INSTRUCTION 36 (35) (32) 34 36 (38) **41 43**) **43**) (50) (40) (44) (39) (46)**45**)

Page 5 of 48

Part List (Box 1 - BW00246-1)




Part List & Hardware List (Box 2 - BW00246-2)




Page 7 of 48

Part List & Hardware List (Box 2 - BW00246-2)




Part List (Box 3 - BW00246-3)



Page 9 of 48

Part List (Box 3 - BW00246-3)




Hardware List (Box 2 - BW00246-2)


No.	OUTLOOK	DESC	QTY
A		Dowel Ø10*40mm	74
B		Bolts 1/4"*20mm	02
\bigcirc		Bolts 1/4"*25mm	16
D		Bolts 1/4"*35mm	05
E		Bolts 1/4"*50mm	02
F	0	Bolts 1/4"*60mm	12
G		Bolts 1/4"*80mm	29
H		Bolts 1/4"*100mm	34
(I)		Cross dowel 1/4"*13mm	74
J		Hex bolts 1/4"*15mm	10
K	Danger.	Round Head Screw #7*15mm	08
	Burgan.	Screws #7*12mm	40
M	8	Screws #8*30mm	91
N	Danganga	Screws #8*35mm	31
0		Connecting Bolt	04
P		Armback - Straight Cylinder	04
Q		Insert	04
R		Patt L small	10
S		Patt U	02

Hardware List (Box 2 - BW00246-2)


No.	OUTLOOK	DESC	QTY
T		Allen key 60*22*4mm	02
U		Connecting Bolt	08
V		Plastic stopper	04
W		Patt L	02
X	B the the transfer of the tr	Screws #8*20mm	06
Y	Boundary of the State of Stat	Screws #8*50mm	04




Page 13 of 48




Page 14 of 48







Page 16 of 48

STEP 8











04


* Install hardware P into the holes at the four connection points, ensuring the orientation of the threaded holes aligns with the diagram








Page 19 of 48

STEP 11













Page 21 of 48


STEP 14






















Page 26 of 48














Page 31 of 48




0





STEP 26




A		02
(G)	0	02
<u>(I)</u>	60	02









Page 35 of 48






R		02
L	B oom.	08




Install Patt L (R) into 2 positions with pre-drilled guide holes as shown.


STEP 32




A		04
\bigcirc	0	02
<u>(I)</u>		02




STEP 33





A		04
\bigcirc	0	02
(I)		02





STEP 34














Page 42 of 48



Page 43 of 48



Page 44 of 48



Page 45 of 48


45


STEP 41

ATTACH THE PATT TO THE WALL TO SECURE THE BED.

- -Step 1: Move and position the bed in the exact location where it will be fixed.
- -Step 2: Place the L-shaped Patt precisely at the mounting points with pre-drilled holes on bed legs (Parts No. 3 and 4).
- -Step 3: Mark 4 wall drilling points for the 2 Patt brackets. Move the bed if needed for better access. Drill 8mm holes into the wall to a depth of 50mm.
 - -Step 4: Install the plastic stoppers (V) into all 4 pre-drilled wall holes.
- -Step 5: Move the bed back into place and fix it to the wall using the Patt brackets as shown.

(V)	9	04
W		02
\bigcirc	Backgroup	02
Y	@personantananananananananananananananananana	04





COMPLETE

