



TEST REPORT

CEC:Appliance Efficiency Regulations - Title 20, Section 1605.3(i)

Report Number.....	OViS202506111
Date of Issue.....	Jul. 03, 2025
number of pages.....	6
Testing Laboratory.....	OViS Testing Technology (Zhejiang) Co., Ltd.
Address.....	Building 31, Feiyue Park, Xiachen Street, Jiaojiang District, Taizhou City, Zhejiang Province, China
Testing location/procedure.....	The same as above
Applicant's Name.....	Zhejiang Aodi Intelligent Sanitaryware Co., Ltd.
Address.....	No.118 Houxin Street,Hongjia Subdistrict,Jiaojiang District,Taizhou City,Zhejiang Province,China
Manufacturer's Name.....	Zhejiang Aodi Intelligent Sanitaryware Co., Ltd.
Address.....	No.118 Houxin Street,Hongjia Subdistrict,Jiaojiang District,Taizhou City,Zhejiang Province,China
Factory's Name.....	Zhejiang Aodi Intelligent Sanitaryware Co., Ltd.
Address.....	No.118 Houxin Street,Hongjia Subdistrict,Jiaojiang District,Taizhou City,Zhejiang Province,China
Test specification:	<input checked="" type="checkbox"/> CEC:Appliance Efficiency Regulations - Title 20, Section 1605.3(i) Test Method: <input checked="" type="checkbox"/> 10 CFR 430 Subpart B Appendix T:Uniform Test Method for Measuring the Water Consumption of Water Closets and Urinals <input checked="" type="checkbox"/> Waste Extraction Test(Section 7.10)of ASME A112.19.2/CSA B45.1
Test procedure.....	Commission test
Non-standard test method.....	N/A
Test Report Form No.....	Title 20, Section 1605.3(i)
Test Report Form(s) Originator.....	OViS
Master TRF.....	2024-07-09
Test item description.....	Intelligent Toilet
Trade Mark.....	AODI
Model/Type reference.....	K70,K71,K73,K25
Ratings.....	110-120 V~;60Hz; 1150W
Test Result.....	The test item passed the test specification(s).

Tested by(name+signature):	Tony Guan/Project Engineer	
Approved by(+signature):	Thomas Nie/Reviewer	



This Test Report is issued by the Company subject to its Conditions of issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence. Provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





List of Attachments (including a total number of pages in each attachment):

Appendix I – Photo documentation – attachment 2 pages.

Copy of marking plate:

The artwork below may be only a draft.

AODI SMART TOILET

Model:	K73		
Rated Voltage:	110-120V~	c  us 	
Frequency:	60Hz	Intertek 5027157	
Rated Power:	1150W	CONFORMS TO UL UL 1431:2011 UL 1951:2011	
Water Proof Grade:	IPX4		
Anti-electric Shock:	CLASS I	CERTIFIED TO CSA CSA C22.2#68:2018 CSA C22.2#64:2019	
Product No:	440625001		

ZHEJIANG AODI INTELLIGENT SANITARYWARE CO., LTD.

AODI SMART TOILET

Model:	K71		
Rated Voltage:	110-120V~	c  us 	
Frequency:	60Hz	Intertek 5027157	
Rated Power:	1150W	CONFORMS TO UL UL 1431:2011 UL 1951:2011	
Water Proof Grade:	IPX4		
Anti-electric Shock:	CLASS I	CERTIFIED TO CSA CSA C22.2#68:2018 CSA C22.2#64:2019	
Product No:	440625001		

ZHEJIANG AODI INTELLIGENT SANITARYWARE CO., LTD.

AODI SMART TOILET

Model:	K70		
Rated Voltage:	110-120V~	c  us 	
Frequency:	60Hz	Intertek 5027157	
Rated Power:	1150W	CONFORMS TO UL UL 1431:2011 UL 1951:2011	
Water Proof Grade:	IPX4		
Anti-electric Shock:	CLASS I	CERTIFIED TO CSA CSA C22.2#68:2018 CSA C22.2#64:2019	
Product No:	440625001		

ZHEJIANG AODI INTELLIGENT SANITARYWARE CO., LTD.

AODI SMART TOILET

Model:	K25		
Rated Voltage:	110-120V~	c  us 	
Frequency:	60Hz	Intertek 5027157	
Rated Power:	1150W	CONFORMS TO UL UL 1431:2011 UL 1951:2011	
Water Proof Grade:	IPX4		
Anti-electric Shock:	CLASS I	CERTIFIED TO CSA CSA C22.2#68:2018 CSA C22.2#64:2019	
Product No:	440625001		

ZHEJIANG AODI INTELLIGENT SANITARYWARE CO., LTD.

This Test Report is issued by the Company subject to its Conditions of issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence. Provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**General Remarks**

1. This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.
2. Throughout this report a point is used as the decimal separator.
3. Two samples were tested.
4. Tested samples configuration done according to client specification.
5. Test results only related received samples, the results comply with CEC:Appliance Efficiency Regulations - Title 20, Section 1605.3(i).
6. The appliance is a State Standards for Non-Federally Regulated Appliances.

Abriviations May Used throuthout This Report**CEC:** California Energy Commission**Lpf:** liters per flush**Gpf:** gallons per flush

Product Group Code	Equipment Family
<input type="checkbox"/> WG	Gravity tank-type Toilets
<input checked="" type="checkbox"/> WT	Flushometer Tank Toilets
<input type="checkbox"/> WE	Electromechanical Hydraulic Toilets
<input type="checkbox"/> WB	Blowout Toilets
<input type="checkbox"/> WT	Flushometer Valve Toilets (Other than Blowout Toilets)
<input type="checkbox"/> WD	Dual-flush water Toilets
<input type="checkbox"/> WP	Prison-type water Toilets

Marking/Label/Nameplate requirement

The following information shall be permanently, legibly, and conspicuously displayed on an accessible place on each unit:

- 1) Manufacturer's name or brand name or trademark;
- 2) Model number;
- 3) Date of manufacture,
- 4) The package , and any labeling attached to the package.for each water closet and urinal shall disclose the flow rate. expressed in gallons per flush(gpf). and the water use value shall be the actual water use or the maximum water use specified by the standards established in subsection (k) of section 325 of the Act, 42 U.S.C. 6295(k). Each flow rate disclosure shall also be given in liters per flush (Lpf).





Test item particulars :	Intelligent Toilet
Classification of installation and use.....:	according to manufacturer's specifications
Possible test case verdicts:	
- test case does not apply to the test object	N/A
- test object does meet the requirement	P(ass)
- test object does not meet the requirement	F(ail)
Summary of testing:	
Date of receipt of test item.....:	Jun. 20, 2025
Date(s) of performance of test.....:	Jun. 20, 2025 to Jul. 03, 2025
Sample appearance and function are in normal condition, yes or no.....:	Yes
<p>The test results presented in this report relate only to the object tested.</p> <p>This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.</p> <p>"(See Enclosure #)" refers to additional information appended to the report.</p> <p>"(See appended table)" refers to a table appended to the report.</p> <p>Throughout this report a <input checked="" type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.</p> <p>The samples under test are in good condition.</p> <p>The test items comply with the requirements of the standard.</p>	
General product information:	
<p>The test results presented in this report relate only to the object tested.</p> <p>This report included 4 model.</p>	

This Test Report is issued by the Company subject to its Conditions of issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results thereof based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence. Provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.





California Appliance Efficiency Regulations
Section 1605.3 (i) Plumbing Fixtures

1) Water Closets-COMPLIED	Pass
---------------------------	------

The average of the total flush volumes obtained over the range of pressures specified in did not exceed (a)4.8 Lpf (1.28 gpf) for high-efficiency water closets per 10 C.F.R. section 430.23(u)(Appendix T to subpart B of part 430).

Model	Water Consumption (gallons/flush)	Dual Flush Effective Flush Volume (gallons/flush)
K70	1.06	N/A
K71	1.06	N/A
K73	1.07	N/A
K25	1.06	N/A

2) ASME A112.19.2/CSA B45.1-13, Section 7.10 Waste Extraction Test	Pass
--------------------------------------------------------------------	------

Model	Waste Extraction Value (grams)
K70	350
K71	350
K73	350
K25	350

Section 1607 Marking of Appliances

(b)Name, Model Number and Date	Pass
(c)Exceptions to Section 1607(b).	N/A
(d) Marking Requirements for Federally-Regulated Consumer Products The product and package shall be marked with the markings required by 16 C.F.R. part 305.	Pass

--- End of The Report ---



Appendix I Photo documentation

K71



K25



This Test Report is issued by the Company subject to its Conditions of issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results there of based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence. Provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Appendix I Photo documentation

K70



K73



---- End of The Appendix I ----

This Test Report is issued by the Company subject to its Conditions of issuance of Test Reports printed overleaf and is intended for your exclusive use. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. This test report includes all of the tests requested by you and the results there of based upon the information that you provided. You have 30 days from date of issuance of this test report to notify us of any error or omission caused by our negligence. Provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

REMARKS

1. This report is invalid without the seal of special stamp for OViS test report and invalid if altered.
2. The copy of this report is invalid without a new seal of special stamp for OViS test report and invalid if altered.
3. This report is invalid without seals or signatures of Tester, Checker and Approval.
4. If there is no special announcement in this report, the information of producer and samples is not identified by OViS, the customer is responsible for truth of the samples.
5. Objections to the test report must be submitted to OViS within 15 days.
6. The test results shown in this report is only applicable for the samples supplied directly by the customer and accepted by the test organization, the customer shall not propagandize improperly without permission by OViS.
7. "P" means "pass", "F" means "fail", "N/A" or "—" means "not applicable" and " / " means "not test".

Address: Building 31, Feiyue Park, Xiachen Street, Jiaojiang District, Taizhou City, Zhejiang Province, China

Tel: 400-8008-959

Post Code: 318000

E-mail: info@ovis-lab.com

<http://www.ovis-lab.com>