

# Assembly Instructions

**CAUTION:** You must read these Assembly Instructions before you proceed.




## **SAFETY WARNING**

Never adjust chaise lounge or recliner backrest while seated.

Always make sure the backrest is flat before moving the chaise lounge.

Keep all limbs clear from under the backrest when it is in a raised position.

Serious finger, hand, or other bodily injuries may result from adjusting the chaise lounge backrest position while seated.



The examples pictured above are non exhaustive and are for your reference only



- Not for commercial use. For residential use only.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.



- Children should not climb or jump on the furniture.



- Do not write on furniture without a padded barrier to protect the surface.



- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.  
Whenever possible cover the product and /or place under patio or awnings.




- Stains may be removed with mild soap solution and damp cloth.

















- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look into the Hardware Bag for all hardware.












## DOUBLE SUN LOUNGER



## Parts List:


Label	Picture	Description	Qty
A		Left Seat Base Panel	1
B		Right Seat Base Panel	1
C		First Support Bar	4
D		Second Support Bar	4
E		Middle Bar	1
F		Feet Base Panel	3
G		Seat Frame	6
H		Left Backrest Frame	2
I		Right Backrest Frame	2
J		Middle Backrest Frame	2
K		Horizontal Bar	2
L		Vertical Bar	4
M		Lower Backrest Panel	2
N		Upper Backrest Panel	2

## Hardware:

No	Picture	Description	Qty
①		Screw (M6 x 30 mm)	13
②		Screw (M6 x 40 mm)	32
③		Bolt (M6 x 50 mm)	3
④		Bolt (M6 x 70 mm)	2
⑤		Flat Washer (Ø6/20 x 4 mm)	9
⑥		Screw (M4 x 25 mm)	13
⑦		Lock Nut (M6)	2
⑧		Wrench (Ø10 x 2 mm)	1
⑨		Leveller	9
⑩		Allen Wrench	2
⑪		Screwdriver	Not provided

## Assembly Preparation:

### Before Beginning Assembly:



- Read instructions, cover to cover.



- Have 2 adult partner in the assembly.



- Do not assemble on flooring or carpet.




- Assemble on a clean non-marring surface



- Save all packaging until completion of assembly.


## Assembly Steps:

### Overview:




This **Double Sun Lounger** has multiple parts and may require up to 45 minutes to assemble. To give you an overview of the **Double Sun Lounger**, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

**Step 1:**




Unpack and place all parts on a clean, non-marring surface.

**Step 2:**




Place the Left Backrest Panel (H), Middle Backrest Panel (J), Right Backrest Panel (I) on a clean, non-marring surface. Then, attach the Lower Backrest Panel (M) and Upper Backrest Panel (N) to the above Backrest Panels (H, I, J) by using Screws (1) and Allen Wrench (10) as shown above. Repeat the same process with the remaining Backrest Panels (H, I, J, M, N). **DO NOT fully tighten the Screws.**

**Step 3:**



With the help of your adult partner, attach the Horizontal Bar (K) and Vertical Bars (L) to the assembled part in Step 2 by using Screws (2), Flat Washers (5) and Allen Wrench (10) as shown above. Repeat the same process with the remaining assembled part in Step 2 and Horizontal Bar (K), Vertical Bars (L). **DO NOT fully tighten the Screws.**


**Step 4:**



With the help of your adult partner, attach the Right Seat Base Panel (B) to the assembled part in Step 3 by using Bolts (③), Flat Washers (⑤) and Allen Wrench (⑩) as shown above.

**DO NOT fully tighten the Bolts.**


**Step 5:**



With the help of your adult partner, attach the Left Seat Base Panel (A) to the assembled part in Step 3 by using Bolts (③), Flat Washers (⑤) and Allen Wrench (⑩) as shown above.

**DO NOT fully tighten the Bolts.**


**Step 6:**



With the help of your adult partner, attach the assembled parts in Step 4 & 5 and Middle Bar (E) together and then secure by using Bolt (④), Flat Washers (⑤), Lock Nut (⑦), Wrench (⑧) and Allen Wrench (⑩) as shown above.

**DO NOT fully tighten the Bolts.**

**Step 7:**




With the help of your adult partner, attach the Second Support Bars (D) to the assembled part in Step 6 by using Screws (②) and Allen Wrench (⑩) as shown above.

**Note 1:** Part D must be assembled in the correct direction of the arrow as shown in picture.

**DO NOT** fully tighten the Screws.


**Step 8:**



With the help of your adult partner, attach the Feet Base Panels (F) to the assembled part in Step 7 by using Screws (②) and Allen Wrench (⑩) as shown above.

**DO NOT** fully tighten the Screws.

**Step 9:**




Attach the Levellers (⑨) to the assembled part in Step 8 by tighten the Levellers counterclockwise as shown above.



**Step 10:**


Part C must be assembled in the correct direction as shown in picture.



With the help of your adult partner, turn the assembled part in Step 9 right side up then attach the First Support Bars (C) to the above frame as shown above.

**Note 2: Part C must be assembled in the correct direction as shown in picture.**


**Step 11:**



With the help of your adult partner, place the Seat Frames (G) to the assembled part in Step 10 then secure the Seat Frames (G) to the Second Support Bars (D) by using Screws (6) with Screwdriver (11) as show above picture.

**DO NOT fully tighten the Screws.**

**Step 12:**



Then EXERT pressure, floorwards onto the Double Sun Lounger with both hands.  
This pressure will help the Double Sun Lounger reach full alignment at all joints.  
In a sequential manner, gradually tighten all Bolts, Screws at all joints until evenly secured.  
Inspect the Double Sun Lounger and make sure all parts are adequately connected.

**Your Double Sun Lounger is ready for use.**

**This Double Sun Lounger can only be used on a flat, level surface.**

**Note 3: Align the Backrest of Sunlounger in position you want as shown above picture.**