












Assembly Instructions


Caution : You must read this before you proceed

Care & Maintenance

- ⊘  • Not for commercial use. For residential use only.
 - ✓  • Furniture may scratch floors. We recommend using furniture pads to protect your floors.
 - ⊘  • Do not put hot items directly on furniture surface.
 - ⊘  • Do not clean furniture with harsh cleansers or polish.
 - ⊘  • Do not place furniture under direct sunlight.
 - ⊘  • Do not place furniture near heating or cooling vents.
 - ⊘  • Do not write on furniture without a padded barrier to protect the surface.
 - ⊘  • Do not place furniture outside . For indoor use only.
 - ⊘  • Stains may be removed with mild soap solution and damp cloth.
 - ⊘  • Children should not climb or jump on the furniture.
-
- ✓  • Dust and pick-up spills using a clean, non-colored, lint-free cloth.



Please look in carton for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.

Coffee Table









CAUTION : This Table is NOT a TOY. Keep your child / children at bay in the process of assembly.
For turning the Table and to prevent damage to the Table, 02 persons may be needed to executethis action.







Parts List

Label	Picture	Description	QTY
1		Side Panel	2
2		Middle Panel	1












Parts List

Label	Picture	Description	QTY
3		Soleplate	1
4		Left Side Panel	1
5		Right Side Panel	1
6		Middle Back Panel	1
7		Front Baffle	1
8		Lateral Bracing Panel	2













Parts List

Label	Picture	Description	QTY
9		Sliding Door Panel	4
10		Front Decorative Pull Board	1
11		Flip-Down Tipping Drawer Panel	1
12		Leg	4
13		Leg	1
14		Lifting Mechanism Connector Tube	1

Hardware


Label	Picture	Description	QTY
A		Cam Bolt (Ø6x35mm)	12
B		Cam Nut (Ø15x10mm)	12
C		Dowel (Ø7.8x30mm)	24
D		Screw (Ø7x38mm)	22
E		Pull handle	5
F		Bolt (M4x18mm)	3
G		Adjustable Foot	1
H		Torsion Hinge Spring	3
I		Bolt (M6*10MM)	22
J		Magnetic Catch	1
K		Screw (Ø6xØ3x10mm)	9

Hardware

Label	Picture	Description	QTY
L	 Left	Lifters-L (80N)	1
M		Connecting Iron Sheet-flat (49x49x7mm)	1
N		Telescopic Rod	1
O		Bolt (M6*20MM)	7+1
P		Bolt (M4x10mm)	8+2
Q		Iron Sheet	1
R	 Right	Lifters-R (80N)	1
S		Pad Ø20mm	8+2
T		Screw (Ø8xØ4x14mm)	4+1
U		Allen Wrench	1
V		Screw (Ø6xØ3x14mm)	2+1
W		Screwdriver	1

Assembly Preparation

Before
Beginning
Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

This Table has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the Table parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.





friendly reminder

To avoid errors and confusion during the installation of accessories, use the type and quantity of hardware accessories according to the installation procedure described in the instructions. First, unroll the accessories bag and lay out the hardware accessories, cut holes in the side, and take out the hardware accessories



STEP 01




W x2





Ø3x14mm

J x1




Attach the Magnetic Catch (J) to the pilot holes on the Left Side Panel (4) using screws (V)

STEP 02




O x5




M6x20mm

Attach the Front Baffle (7) to the holes on the Front Decorative Pull Board (10) using Bolt (O).

STEP 03




C x6



Ø7.8x30mm

D x4




Ø7x38mm


First, install the Dowel (C) into the holes of the Front Baffle (7), Front Decorative Pull Board (10), and Middle Back Panel (6).

Then use the Screws (D) to secure the Right Side Panel (5) to the Front Baffle (7), Front Decorative Pull Board (10), and Middle Back Panel (6).

STEP 04




C x6



Ø7.8x30mm

D x4




Ø7x38mm

First, install the Dowel (C) into the holes of the Front Baffle (7), Front Decorative pull Board (10), and Middle Back panel (6).

Then use the Screws (D) to secure the Left Side Panel (4) to the Front Baffle (7), Front Decorative Pull Board (10), and Middle Back Panel (6).

STEP 05

In this step, ensure that the holes on ③ and ⑥ are aligned before locking the screws on D



Please gently upright and align with the hole position

Use Dowel (C) and Screw (D) to install Soleplate (③) to Left Side Panel (④) & Right Side Panel (⑤) & Middle Back Panel (⑥) & Lateral Bracing Panel (⑧).


Cx6

Ø7.8x30mm

Dx12

Ø7x38mm

STEP 06



Use Screw(T) to securely fasten Connecting Iron Sheet-Flat (M) onto Soleplate(③).


Mx1

49x49x7mm

T x4

Ø8XØ4x14mm

STEP 07




G x1



First, fix the Adjusting Foot (G) on the Leg (13). Then install it on the Connecting Iron Plate-Flat (M).

STEP 08




I x8




M6x10mm

Use Bolt (I) to securely fasten Leg(12)onto Soleplate(3) .


STEP 09



E x4




Px8




Ø3x14mm

Install Pull handle (E) to each Sliding Door Panel (9) with Bolt (P).
Repeat the above actions four times.

STEP 10




A x10



Ø6x35mm

Lock Cam Bolt (A) onto Side Panel (1)

STEP 11



Bx5



Ø15x10mm


Cx2



Ø7.8x30mm

First, turn over the cabinet installed in step 8. Then install the Dowel(C) into the Left Side Panel (4). Then connect the Side Panel (1) to the Left Side Panel (4) and the Lateral Bracing Panel(8). At the same time, put the Sliding Door Panels (9) into the grooves of the Side Panel (1) and the Soleplate(3). When installing, pay attention to the direction of the handle of the Sliding Door Panel (9). Finally, tighten it with the Cam Nut (B).

STEP 12



Bx5



Ø15x10mm

Cx2



Ø7.8x30mm


Sx8




Ø20

Then install the Dowel(C) into the Right Side Panel (5). Then connect the Side Panel (1) to the Right Side Panel (5) and the Lateral Bracing Panel(8). At the same time, put the Sliding Door Panels (9) into the grooves of the Side Panel (1) and the Soleplate(3). When installing, pay attention to the direction of the handle of the Sliding Door Panel (9). Finally, attach Pad(S) to the Cam Nut (B) to make it look better.

STEP 13



Hx2




Kx2



Ø3x10mm


Qx1




Ø20

Use Screw (K) to securely fasten Iron Sheet (Q) onto Flip-Down Tipping Drawer Panel (11). Install Torsion Hinge Spring (H) into the holes at both ends of Flip-Down Tipping Drawer Panel (11).


STEP 14



E x1




F x2



M4x18mm

Install Pull Handle (E) to Flip-Down Tipping Drawer Panel (11) with Bolt (F) as shown.


STEP 15



Please close door 9 gently

Align the Torsion Hinge Spring (H) pre-installed on the Flip-Down Tipping Drawer Panel (11) with the small hole on the bottom side of the Left Side Panel (4). Then press the other end of the Torsion Hinge Spring (H) on the Flip-Down Tipping Drawer Panel (11) and carefully align it with the small hole on the bottom side of the Right Side Panel (5).

STEP 16




The crank nut can be adjusted, and the nut should not fall out

K x3




Ø3x10mm

N x1




Secure Telescopic Rod (N) to the pilot holes on the Right Side Panel (5) using Screws (K).

STEP 17



Install the Flip-Down Tipping Drawer Panel (11) then adjust the Magnetic Catch(J) position so that the door is level the front. Finally, tighten the Magnetic Catch(J) Screw(K) to 99%




Kx2



Ø3x10mm

Secure the other end of the Telescopic Rod (N) to the pilot holes on the Flip-Down Tipping Drawer Panel (11) using Screws (K).

STEP 18



L x1

Left





R x1

Right

First, remove Lifters-L(L) and Lifters-R (R) from the bag, then cut theretaining straps attached to them.


STEP 19

Use screw(I) of I locks the middle of the long hole and locks 99% .Once installed, you can loosen the screws (I) here to adjust the position on the Middle Panel(②) so that the Lifters-L(L)and Lifters-R(R) keep parallel.



First, fix the Lifters-L(L)and Lifters-R(R) to the Middle Panel (②) with Bolt (I), and then connect the Lifting Mechanism Connector Tube(⑭) to the Lifters-L(L)and Lifters-R(R) with Bolt (O).

STEP 20



Please note that you can raise or lower Middle Panel(②) by holding the front side and back side




WARNING !
Do not play on this furniture with mechanical devices. Be careful to avoid injury when you are about to close the table top downwards.
Always keep this furniture closed when not in use



Use Screw (I) to securely fasten Lifters-L(L)and Lifters-R(R) onto Left Side Panel(④) and Right Side Panel(⑤) .

STEP 21

The chute has been coated with lubricating wax. Should you find the door's operation insufficiently smooth, we recommend applying a small amount of soap to enhance its performance



Your Table is ready for use now!

• Questions & Answers about Proposition 65

What is Proposition 65?

Proposition 65 requires businesses to provide warnings to Californians about significant exposures to chemicals that cause cancer, birth defects or other reproductive harm. These chemicals can be in the products that Californians purchase, in their homes or workplaces, or that are released into the environment. By requiring that this information be provided, Proposition 65 enables Californians to make informed decisions about their exposures to these chemicals.

- Proposition 65 also prohibits California businesses from knowingly discharging significant amounts of listed chemicals into sources of drinking water.

Proposition 65 requires California to publish a list of chemicals known

- to cause cancer, birth defects or other reproductive harm. This list, which must be updated at least once a year, has grown to include approximately 900 chemicals since it was first published in 1987.

What types of chemicals are on the Proposition 65 list?

The list contains a wide range of naturally occurring and synthetic chemicals that include additives or ingredients in pesticides, common

- household products, food, drugs, dyes, or solvents. Listed chemicals may also be used in manufacturing and construction, or they may be byproducts of chemical processes, such as motor vehicle exhaust.

What does a warning mean?

If a warning is placed on a product label or posted or distributed at a workplace, a business, or in rental housing, the business issuing the warning is aware or believes that it is exposing individuals to one or more listed chemicals.

By law, a warning must be given for listed chemicals unless the exposure is low enough to pose no significant risk of cancer or is significantly below levels observed to cause birth defects or other reproductive harm.

Where can I get more information on Proposition 65?

If you have specific questions on the administration or implementation of Proposition 65, you can contact OEHHA's Proposition 65 program at P65.Questions@oehha.ca.gov, or by phone at (916) 445-6900.