# **Assembly Instructions**

Caution: You must read this before you proceed

### Care & Maintenance



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



• Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



• Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth. Please look in seat for hardware packs and legs. SOFA

Parts List				
Label	Picture	Description	QTY	
Α		Sofa Base	1	
В		Sofa Backrest	1	
С		Left Arm	1	
D		Right Arm	1	
E		Back Cushion Cover	2	
F		Back Cushion Interior	2	
G		Seat Cushion	2	
Н		Wooden Leg (with Plastic Gasket)	5	

Hardware List				
Label	Picture	Description	QTY	
1)		Extra Gaskets (available for Sofa Uneveness/Wobbles Adjustments)	3	
2		Bolt (Metric Thread M8*60mm)	9	
3		Washer	11	
4	0	Spring Washer	11	
(5)		Double-threaded Bolt (Metric Thread M8*70mm)	3	
6		Wing Nut	3	
7		Allen Wrench	1	
<u>Assembly Preparation</u>				
Before Beginning Assembly:	A B C D			
	E E	F	G	
	H X5	2	X3 X3 X1	



Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-

# **Assembly Steps**


### **Overview**




This sofa has multiple parts and may require about 30 minutes to assemble. To give you an overview of the sofa parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

# Step 1 Carton E E F G G G G G G X3 Legs Carton W11 6 X3 M X11 7 X1

Take out the Sofa Base(A), Sofa Backrest(B), Left Arm(C), Right Arm(D), Seat Cushion(G), Back Cushion Cover(E), Vacuum Bag(F) and Small Box. Open the Small Box to take out the Wooden Legs and Hardware. Place all the parts on a clean, non-marring surface.




Open the Vacuum Bags to take out the Back Cushion Interior(F), and put Back Cushion Interior(F) into the Back Cushion Cover(E) to be Back cushion. Place them on a clear surface and waiting for nex steps.



Place the Sofa Base(A), Left Arm(C) and Right Arm(D) on a clean, non-marring surface.

With assistance from your adult partner, put the Sofa Base(A) between the Left Arm(C) and Right Arm(D) as a whole as picture.

Align the bolts holes on the both side of Sofa Base(A) with those on the Left Arm(C), Right Arm(D).




Open the back non-woven cover under Sofa Base(A).

Attach Sofa Base(A) to the Left Arm(C) and Right Arm(D) using Bolts(2), Spring Washers(4) and Washers(3) with Allen Wrench(7).

Please do not tighten the Bolts, just bolt them in half-way until all bolts are in,then tighten all the Bolts with the Allen Wrench(⑦).


Note: The bottom of the Sofa Base(A) frame must be aligned with the bottom of the Armrest.

### Step 5



You will see two mounting positions on the bottom of Sofa Backrest(B), Insert the Double-threaded Bolts(⑤) into mounting positions and turn clockwise by hand until 1/3 inside (can't totally inside).

## Step 6




Especially Remind(very important!): When you push the Sofa Backrest (B) downwards and connect the both arms(C&D) and the mounting brackets of the Sofa Backrest (B), need to make sure the back side of Left Arm(C), Right Arm(D) and Sofa Backrest(B) on same plane;

Meanwhile you need to see and make sure the Doublethreaded Bolts(⑤) just on the top of the mounting positions and can insert into the both mounting positions. With assistance from your adult partner, hold-up the Sofa Backrest(B) while standing beside the Left Arm(C) and Right Arm(D).

Align the mounting brackets on both sides of the Sofa Backrest(B) with the mounting brackets on the Left Arm(C) and Right Arm(D), and meanwhile align the Double-threaded Bolts(⑤) to the both mounting positions at the hind-top of Sofa Base(A).

Then slide the Sofa Backrest(B) down by hand to make sure it locks in place as shown.


### Step 7



Position the rear side of the whole sofa on a clean, non-marring surface, place Washers( $\mathfrak{J}$ ) and Spring Washers( $\mathfrak{J}$ ) onto the Double-threaded Bolts( $\mathfrak{J}$ ), and secure using Wing Nuts( $\mathfrak{S}$ ).

Tighten Wing Nuts(⑥) fully by turning them clockwise by hand in a sequential manner.

# Step 8




Install the Wood Legs(H) at the bottom of the Sofa by placing one Gasket(1) on the threaded stem.

Tighten by turning the Leg clockwise.


Note: The use of Gaskets are OPTIONALand are especially useful to help alleviate slight wobbleness. Some Legs may need more than one Gasket whilst some Legs may not need any.

# Step 9



Put the Seat Cushions(G) on the Sofa Base(A).

# <u>Step 10</u>



Place Back Cushion(E+F) on the Sofa Backrest(B).

Your SOFA is ready for use.

This SOFA can only be used on a flat, level surface.