


Assembly Instructions

Caution : You must read this before you proceed


Care & Maintenance




- Not for commercial use. For residential use only.




- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.




- Do not place furniture under direct sunlight.




- Do not place furniture near heating or cooling vents.




- Do not write on furniture without a padded barrier to protect the surface.




- Do not place furniture outside. For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.













- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

**Please look in Seat frame for hardware packs and legs.
Sets often ship in multiple boxes and may arrive a day or two apart.**










DINING CHAIR



Parts List


Label	Picture	Description	QTY
A		U FRAME	1
B		FRONT LEG (L)	1
C		FRONT LEG (R)	1
D		BACK LEG (L)	1
E		BACK LEG (R)	1
F		SEAT FRAME	1
G		ARM (L)	1
H		ARM (R)	1
I		HEAD	1
J		CUSHION SEAT	1

Hardware

Label	Picture	Description	QTY
①		JCBC SCREW (M6*60MM)	4
②		JCBC SCREW (M6*45MM)	9
③		JCBC W SCREW (M7*50MM)	2
④		CSK SCREW (M4*32MM)	7
⑤		FLAT WASHER (M6*19MM)	10
⑥		SPRING WASHER (M6)	13
⑦		WOOD DOWEL (M8*30MM)	2
⑧		ALLEN KEY (M4*60MM)	1
⑨		Screwdriver	Not Provided

Assembly Preparation

Before
Beginning
Assembly :



A



C



E



G




I



B



D



F



H




J




①

X 4 PCS



②

X 9 PCS



③

X 2 PCS



④

X 7 PCS



⑤

X 10 PCS



⑥

X 13 PCS



⑦

X 2 PCS



⑧

X 1 PC




- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

Assembly Steps




This Chair has multiple parts and may require to some 30 minutes to assemble. To give you an overview of the chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1					
	A	B	C	D	E
	F	G	H	I	J

Place all Parts on a clean, flat surface.

Step 2




Place the Seat Frame (F), On a clean, non marring surface. Install the Left Front Leg (B) , Right Front Leg (C) , into the Seat Frame (F) using JCBC Screw (M6*60mm) ①, Spring Washer (M6) ⑥, Flat Washer (M6*19mm) ⑤, with Allen Key (M4*60mm) ⑧ as pictured above.

Then install the Left Back Leg (D) , Right Back Leg (E), into the Seat Frame (F) using JCBC Screw (M6*45mm) ②, Spring Washer (M6) ⑥, Flat Washer (M6*19mm) ⑤, with Allen Key (M4*60mm) ⑧ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.


Step 3



Install Left Arm (G) , Right Arm (H), beside Seat Frame (F),using JCBC Screw (M6*45mm) ②, Spring Washer (M6) ⑥, Flat Washer (M6*19mm) ⑤, with Allen Key (M4*60mm) ⑧ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.


Step 4



Install the U Frame (A), into Left Arm (G). Right Arm (H), Left Back Leg (D), Right Back Leg (E), using JCBC W Screw (M7*50mm) ③, with Allen Key (M4*60mm) ⑧, as pictured above, then screw the U Frame (A), into Left Arm (G). Right Arm (H) using CSK Screw (M4*32mm) ④ with Screwdriver ⑨ as pictured above.

NOTE : Do not fully tighten the Bolts in this step.


Step 5



Place the assembled chair as shown. Install Cushion Seat (J), into U Frame (A), using CSK Screw (M4*32mm) ④, with Screwdriver ⑨, as pictured above.

NOTE : Do not fully tighten the Bolts in this step.


Step 6



Place the assembled chair as shown. Install Head (I) with Wood Dowel ⑦, then using JCBC Screw (M6*45mm) ②, Spring Washer (M6) ⑥, with Allen Key (M4*60mm) ⑧, as pictured above.

NOTE : Once the assembly is completed, proceed to tighten all Bolts sequentially.

Step 7



Place the chair on a **LEVEL SURFACE** to see if it wobbles.

CAUTION 1 : When tightening the screws and bolts, tighten sequentially. If there are any wobbles after tightening, loosen the screws and bolts and execute this same process.

Ensure all screws and bolts are fully locked into position.

CAUTION 2 : This chair can only be used on a flat, level surface.

Your Chair is ready for use.