


Accent Chair



NOTICE



Please keep these instructions for future reference.

Dear Customer

- Thank you for your purchase. Upon receiving the product, please first check that all parts are intact, then follow the instructions in this manual for assembly.
- During assembly, do not tighten the screws all at once. Ensure each screw is tightened to about first, then fully tighten them.

If problem occur unsatisfactorily as follows

- A** . The outer box is damaged
- B** . The product is damaged / bent / cracked while you open the box
- C** . The parts / accessories / assembly tools are missing
- D** . The instructions are not clear and can not be referred
- E** . The product has functional problems
- F** . Other aspects that you are not satisfied with

Please feel free to contact us for help.

AFTER-SALE

Guaranteed Customer Service

We deeply care about your shopping experience.

Not satisfied? Contact us!

Need assistance?

Contact us!

Want to share how our furniture has pleasantly surprised your life?









Share your photos with us!

Any suggestions? Reach out to us via Amazon!

PART LIST




Before installation, please check that the parts are all included!


A  2pcs Armrest Frame	B  1pc Cushion Frame	C  1pc Backrest Frame
D  1pc Cushion	E  1pc One-Piece Mat	F  1pc Back Pillow
G  8pcs Screws	H  1pc L-Shaped Screwdriver	

TIPS : We recommend two people for assembly

PART LIST




STEP



1

Install all frames.
Tighten the screws to 80% first, when the installation is completed, then fully tighten all the screws.



2

Put the cushion.

After unpacking, pat it gently (it will restore its fluffiness within 48 hours)


STEP

3




Turn the iron-framed chair over and tie the straps at the back of the seat cushion.

4




Please install it immediately after unpacking.

5





The side with buttons should face outwards.

6



Fasten the buttons. The installation is complete. pat it gently (it will restore its fluffiness within 48 hours).

STEP



Please note : We offer comprehensive after-sales service. If you find any damage or are unsatisfied with your purchase, please contact us immediately! We wil respond as quickly as possible!

**PROBLEM WITH YOUR
PURCHASE2Contact Us First!
after-sales@163.com**

**The installation is complete.
Make sure ALL the screws are fully tighten.**