
Extendable Kitchen Island

Assembly Instructions - Please keep for future reference

N707P333291



Important - Please read these instructions fully before starting assembly



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



• To reduce the likelihood of damaging your product please ensure that your

power drill is set on a low torque setting.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste.
 Take to your local authority waste disposal centre.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts
- Regularly check and ensure That all bolts and fittings are tightend properly.

WARNING In order to help prevent overturning – please follow these instructions

To help prevent product toppling over please follow the below steps:-

Use the anti tip stap or wall fixing method provided (if applicable)

Do not allow children to climb or hang on the furniture

Do not open more than one drawer at a time

Do not place heavy items in the top drawers


Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose

Components - Fittings

Please check you have all the panels listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases, more fittings may be supplied than required.


A QTY: 15	B QTY: 15	C QTY: 40	D QTY: 8
OAM DOLT	0.004	Ø6*30mm	DOOD DIV
CAM BOLT QTY: 2	CAM LOCK QTY: 2	WOOD DOWEL QTY: 2	DOOR PIN QTY: 2
CL	DL	DR	CR
00000			00 00 00 00 00 00 00 00 00 00 00 00 00
L=300mm	L=300mm	L=300mm	L=300mm
ROLLER RUNNER	ROLLER RUNNER	ROLLER RUNNER	ROLLER RUNNER
E1 QTY: 2	E2 QTY: 2	F QTY: 44	G QTY: 14
W. T.	TT	(X)	<00000(X)
L=600mm	L=600mm	Ø7*12mm	Ø6*12mm
BALL BEARING GLIDE	BALL BEARING GLIDE	FLAT HEAD SCREW	FLAT HEAD SCREW
H QTY: 30	J QTY: 6	K QTY: 6	L QTY: 2
Ø10*45mm		Ø8*19mm)
ALLEN FLAT HEAD SCREW	HANDLE	BOLT	METAL BRACKET
M QTY: 16	N QTY: 16	O QTY: 4	P QTY: 4
	(X)		
	Ø6*19mm		
CORNER BLOCK	STICKER	MAGNET	MAGNET PLATE
			3



Using Camlocks


Step 1

Connect the male camlock as diected in the assembly instructions using a scewdriver.



Step 2


Push the male camlock into the entry hole.



Step 3

Insert the female camlock as shown in the instruction.

Note: ensure that the arrow on the top of the camlock points towards the entry hole for the male camlock.




Step 4


Turn the female camlock clockwise with a screwdriver.

You should feel a click when the camlock is locked in place.

The joint is now secure.





COMPONENTS - KEY DIAGRAM



COMPONENTS - KEY DIAGRAM x2pcs x2pcs 19 21 22 x2set








COMPONENTS - KEY DIAGRAM					
16		17		18	
BRACKET - RIGHT	QTY: 1	BRACKET PULL BAR	QTY: 1	BRACKET - BOTTOM	QTY: 1
19		20		21	
LEG (Extension Work Top)	QTY: 1	EXTENSION WORK TOP	QTY: 1	LEFT DOOR	QTY: 2
22		23		24	
RIGHT DOOR	QTY: 2	DRAWER FRONT	QTY: 2	DRAWER SIDE - LEFT	QTY: 2
25		26		27)
DRAWER SIDE - RIGHT	QTY: 2	DRAWER BACK	QTY: 2	SUPPORT BOTTOM DRAWER	QTY: 2
28					
DRAWER BOTTOM	QTY: 2				
					9


Slides Must Be Separated Before Assembly. After Separated, Set Aside Until Needed for Assembly.

Las diapositivas deben separarse antes del montaje. Después de la separación, déjelo a un lado hasta que sea necesario.

Les glissières doivent être séparées avant l'assemblage. Après la séparation,mettez de côté jusqu'au moment de l'assemblage.





STEP 1




F	(X) (MININ)	8PCS
0		4PCS


STEP 2











CL	THE PERSON NAMED IN	1PC	Α	© ===== 3 000	3PCS
CR		1PC	F	(X) 200000>	6PCS
















STEP 11



STEP 12



ASSEMBLY INSTRUCTIONS STEP 13 13 10 9 **6 (5**) 12 12 **STEP 14** 13 (C) 10 9 3 6 **(5)** (H)(H)(H)C 6PCS


17

Н

Q

9PCS

1PC



(X)

8PCS


4PCS

Υ


С

2PCS


<u>STEP 17</u>



В	2PCS
С	6PCS



STEP 20 x2 Set




A (10PCS


STEP 21 x2 Set

10PCS


В




STEP 22 x2 Set




STEP 23 x2 Set




Χ




STEP 26 x2 Set




STEP 27





L	2PCS
F	4PCS
















NOTE: Pull the inner ball bearing slides on each side all the way out till it stops. (may be slightly greasy)

NOTE:

End-users must install on a flat surface to avoid wobbling or misalignment during assembly.

STEP 33



NOTE:

Cover all the holes on the cabinet body with stickers.