Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



• Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



• Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



• Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside. For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.




• Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in Leg for hardware pack.


CHAIR



Parts List			
Label	Picture	Description	QTY
А		Body	1
В		Left Leg	1
С		Right Leg	1
D		Back Leg	1
E		Front Rail	1
F		Middle Rail	1

<u>Hardware</u>				
Label	Picture	Description	QTY	
1		Bolt (M6*20MM)	4	
2		Connected Slice	1	
3		Bolt (M8*55MM)	8	
4		Cap Base	7	
5		Washer	8	
6		Allen Wrench (M6)	1	
7		Allen Wrench (M8)	1	
8		Сар	7	

Assembly Preparation



®x7



Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-



Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-

Assembly Steps Overview Body(A)


Right leg (C)

This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Front facing


Back leg (D)

Left leg (B)



Unpack and place all the Parts and Hardware on a clean, non-marring surface.


Step 2




Attach the Connected Slice(2) into the Middle Rail(F) using Bolts(1) with Allen Wrench(6).

Do not fully tighten the Bolts.

Step 3




Attach the Middle Rail(F) into the Front Rail(E) using Bolts(1) with the Allen Wrench(6). Do not fully tighten the Bolts.



Attach the Middle Rail(F) into the mounting position of the Body(A) using Bolts(\Im) and Washers(\Im) with the Allen Wrench(\Im). Do not fully tighten the Bolts.


Step 5



Body(A)


Slotte the latches on the Leg(B+C+D) into the latches on the Body(A).

Step 6



Attach Legs(B+C+D) into the mounting positions of the Body(A) and Rails(E+F) using Bolts(③), Cap Bases(④) and Washers(⑤) with the Allen Wrench(⑦). Do not fully tighten the Bolts.





7.1)Turn the Chair right side up.Check for stability and then tighten all the remaining bolts.

DO NOT fully tighten a bolt in one go and then move on to the next. Rather, in a sequential manner, gradually tighten each bolt until all bolts are evenly secured. This methodology will ensure maximum evenness once all bolts are fully tightened.

7.2)Screw the Caps(®) into the mounting positions of Legs(B+C+D) .

Your Chair is ready for use.