# DREAMS

IDEA

Instruction Manual





#### **ABOUT US**

DREAMSIDEA IS A ONE-STOP HOME
FURNISHING AND SERVICE COMPANY BASED IN USA.

WE ARE DEDICATED TO BRING YOUR DREAM HOME TO LIFE.

OUR SERVICES COVER FROM DESIGN, PRODUCTION.

DIRECT SELL, STORAGE, AND TRANSPORTATION.

IF REALITY IS THE NEAR SHORE

AND IDEALISM THE FAR SHORE,


DREAMSIDEA
AS THE FERRY BETWEEN THEM,
EAGER TO ACCOMPANY YOU ON A JOURNEY
TO YOUR IDEAL HOME.



#### ITEM NO.OD0002-LOVESEAT

#### WARRANTY

We strive to offer high quality product and we also try our best to satisfy each customer that order from us, no matter on products or services as needed. Each customer receives a record of their order, such as the order number or item receipt. For any items that are out of warranty period, you may still be able to purchase the replacement parts from our company if they are available.



Are you having difficulty with assembly? Missing parts?

Please contact us : info@firstopintl.com

Tel:(562)-781-3327

send an email with your order No. to us For return, please check the return policy with the retailer or platforms you bought from.

Appreciate your purchasing from us.

Pop up your life by our furniture!

#### MAINTAINANCE AND WARNING

Please read the manual thoroughly before you start installing. Please keep the product away from sharp object. Packaging and small parts may have chocking hazard, please keep them away from children and pets. Please clean the product according to each clean code, check the product description for more information. Please keep the product away from fire. If you have any other questions, please contact us, we will be glad to help you out. If the product is placed under direct sunlight, the pattern or color might fade away overtime. Check the product periodically to make sure everything is secured and tightened. Always use proper tools for installation. Do not jump on the product.









## PRDOUCT DESCRIPTION

Weatherproof Fabric: Upholstered in a waterproof cotton-blend, this loveseat resists rain, moisture, and UV rays. It stays dry and clean with minimal upkeep.

Solid Teak Frame: Made from 100% teak wood, the frame is built to endure outdoor exposure while offering timeless, natural warmth.

Strong Weight Capacity: Designed to hold up to 400 lbs, the structure is sturdy and secure for daily outdoor use.

Spacious & Supportive Seating: With a wide seat and tall backrest, this loveseat encourages extended lounging with ergonomic comfort.


Designer Armrests: Open-square teak arms add a sculptural, contemporary detail while keeping the silhouette airy and elegant.



### **EXPLODED VIEW**





The product's left and right are determined by sitting posture






### **PARTS**








### HARDWARE

#### TOOL LIST

NOTE: Designated with (★) We provide additional spare parts in the hardware package




Please make sure all hardware&packing material fitting the list.

Especially some small accessories may be missing during transportation. Please contact us if you have any question.


After taking out the cushions (G) from the air compression bags, please allow them to recover for a period of time. It may take up to 48 hours to fully recover. You can gently slap them to speed up the process.






Place the nuts (4) into the designated holes on the Seat Rail (E) as shown, make sure the holes on the nuts are aligned with the holes on both sides of the Seat Rail (E).


Attach the Seat Rail (E) to the Right Armrest (A), use the allen wrench (3) provided to tighten the bolts (2) and flat washers (6).



Place one flat washer (6) on each bolt (1), and use the allen wrench (3) provided to tighten the Seat Frame (D) to the Right Armrest (A) as shown.




Connect the Backrest (C) to the Right Armrest (A) as shown, then use the allen wrench (3) provided to tighten the bolts (1) and flat washers (6).






Install the Left Armrest (B) using the same method from previous steps.





Cover all bolt holes on both legs with the Plastic Caps (5) as shown





Place the Back Cushion (F) and Seat Cushion (G) on the chair. Back Cushion (F) against the backrest with the tag facing front as shown.







#### ASSEMBLY INSTRUCTIONS

Tel.(562)-781-3327

Please contact us:info@firstopintl.com

https://www.dreamsidea.com