


# MODEL RTA-2026C

## ASSEMBLY INSTRUCTIONS

REV.1-FT-8910-0625



Hardware			
No.	Item		Qty.
I	M6x20		6 Pcs
J	M6x30		8 Pcs
K	Ø6mm x Ø16mm x 1mm		14 Pcs

Tools (Included)	
M5; 80mm x 30mm Allen Wrench	

Thank you for purchasing our product!

MAIN PARTS LIST				
<b>A</b> Backrest 	<b>B</b> Seat 	<b>C</b> Nylon star base 	<b>D</b> Mechanism 	<b>E</b> Lift cylinder 
<b>F</b> Casters 	<b>G-L</b> Left armrest 	<b>G-R</b> Right armrest 	<b>H</b> Covers for lift cylinder 	

\* The left metal bracket on the seat is loose, while the right is stiff and can only move once the chair is assembled.



**For Support, Assembly Questions & Replacement Parts Within the 48 Contiguous United States:**

Please email us at: [support@rtaproducts.com](mailto:support@rtaproducts.com)



Replacement Parts for International Customers & **AK-HI-PR** orders:  
RTA Products will replace the part free of charge, while **the customer is responsible for shipping costs plus any International local taxes or duties.**



[technimobili.com](http://technimobili.com)




[support@rtaproducts.com](mailto:support@rtaproducts.com)

## ASSEMBLY STEPS

## STEP 1

FIRST: Attach F to the legs of C.


THEN: Place E into C and cover it with H.



## STEP 2

Attach D to B with I and K.

⚠ PAY ATTENTION:  
The Knob from D faces  
towards the FRONT.





⚠ PAY ATTENTION:  
Use the correct screws.

## STEP 3

Attach G-L and G-R to A in their respective sides with I and K.

⚠ VERY IMPORTANT:  
Leave the screws loose to allow flexibility for  
proper alignment of the pieces in the next step.




⚠ PAY ATTENTION:  
Use the correct screws.

## ASSEMBLY STEPS


### STEP 4

Attach A, G-L and G-R to B with J and K.





(View from behind)

**⚠ VERY IMPORTANT:**  
Screw loosely to allow flexibility  
for proper alignment; tighten  
only after all are in place.




### STEP 5

Join the seat with the base.



### STEP 6




FINALLY, tighten the screws I.



## CHAIR'S FUNCTIONS


Pull Handle OUT  
to UNLOCK;  
Push Handle IN  
to LOCK.

Pull Handle UP.




Turn CLOCKWISE for  
less tension (-);  
COUNTERCLOCKWISE  
for more tension (+).  
With less tension, the tilting feels easier.


## WARNINGS - Not paying attention to the following warnings could result in injuries.



Only one person at a time and refrain from  
sitting on the edge of the seat to prevent  
the chair from tipping over.



Do not stand  
on the chair  
or use it as a  
ladder.




Do not use the chair if the  
frame parts are damaged, or  
if any of the screws are loose  
or missing.



Do not leave babies or toddlers  
unattended while seated on the  
chair, always ensure adult  
supervision. Keep children from  
playing with the chair for their safety.

## CARE AND MAINTENANCE


Clean with a soft cloth  
lightly dampened in a  
solution of smooth  
soap and water.




Do not use solvents or  
abrasive materials.



Do not expose to direct  
sunlight or to extreme  
environmental conditions.



Inspect the chair thoroughly  
every 4 months and re-  
tighten the screws.



## LIMITED WARRANTY



For details, please visit our website:  
[Technimobili.com](http://Technimobili.com)

To file a claim or request information, please email to:  
[warranty@rtaproducts.com](mailto:warranty@rtaproducts.com)

