

MODEL RTA-2025C ASSEMBLY INSTRUCTIONS


REV.1-FT-8910-0625



| Hardware | | | | |
|----------|-------------|--|----------|--|
| No. | ltem | | Qty. | |
| 1 | 1/4" x 3/4" | | 4 Pcs | |
| J | 1/4" x 1" | | 8 Pcs | |
| K | 1/4" x 3/4" | | 8 Pcs | |

| Tools (Included) | | | | |
|------------------|----|--|--|--|
| Allen Wrench | M5 | | | |

Thank you for purchasing our product!





For Support, Assembly Questions & Replacement Parts <u>Within the 48 Contiguous</u> United States:

Please email us at: support@rtaproducts.com



Replacement Parts for International Customers & **AK-HI-PR** orders: RTA Products will replace the part free of charge, while <u>the customer is responsible</u> for shipping costs plus any International local taxes or duties.










RTA-2025C



ASSEMBLY STEPS

STEP 1


- Insert F into the legs of C using pressure.
- Place E in the middle of C and cover with H.




STEP 2 Attach D to B with I.

PAY ATTENTION!


The tension knob of D faces towards the front of the seat B.







STEP 3


Join the seat with the base.



ASSEMBLY STEPS









RTA-2025C




CHAIR'S FUNCTIONS



Pull Handle UP.






Turn CLOCKWISE for less tension (-); COUTERCLOCKWISE for more tension (+).

With less tension, the tilting feels easier.

WARNINGS - Not paying attention to the following warnings could result in injuries.









Do not stand on the chair

Only one person at a time and refrain from sitting on the edge of the seat to prevent the chair from tipping over.





Do not use the chair if the frame parts are damaged, or if any of the screws are loose or missing.



Do not leave babies or toddlers unattended while seated on the chair, always ensure adult supervision. Keep children from playing with the chair for their safety.

CARE AND MAINTENANCE

Clean with a soft cloth lightly damped in a solution of smooth soap and water.



Do not use solvents or abrasive materials.



Do not expose to direct sunlight or to extreme environmental conditions.



Inspect the chair throughly every 4 months and retighten the screws.



LIMITED WARRANTY



To file a claim or request information, please email to: warranty@rtaproducts.com

