# **Assembly Instructions**

Caution: You must read this before you proceed

### Care & Maintenance



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



• Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.


Please look in carton for hardware packs and legs.

# **OTTOMAN** Parts List Description QTY NO Picture Ottoman Α 1 Leg В 6

| <u>Hardware</u> |         |                  |     |
|-----------------|---------|------------------|-----|
| NO              | Picture | Description      | QTY |
| 1               |         | Bolt (M6X75MM)   | 7   |
| 2               |         | Flat Washer Ring | 7   |
| 3               |         | Allen Key        | 1   |
| 4               |         | Foot Pad         | 7   |

## **Assembly Preparation**







Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-



Save all packaging until finished-

# Ottoman(A) leg(B) FRONT FACING

This ottoman has multiple parts and may require up to some 10 minutes to assemble. To give you an overview of the sofa parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.



Place the ottoman (A) upside down on a protective mat.Insert the leg (B) into the mounting hole. Secure the leg to the ottoman using the bolts (1) and flat washer rings (2). Tighten the bolts (1) with the provided allen key (3).

