Assembly Instructions

CAUTION: You must read these Assembly Instructions before you proceed.


Care & Maintenance



- Do not put hot items directly on furniture surface.
- Do not clean furniture with harsh cleansers or polish.
- To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- Children should not climb or jump on the furniture.
- Do not write on furniture without a padded barrier to protect the surface.
- To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine.
 Whenever possible cover the product and /or place under patio or awnings.
- Stains may be removed with mild soap solution and damp cloth.
- Keep away from sources of ignition.
- Dust and pick-up spills using a clean, non-colored, lint- free cloth.

Please look in Seat Panel for hardware packs

BAR CHAIR



Parts List:				
Label	Picture	Description	Qty	
Α		Left Leg Panel	1	
В		Right Leg Panel	1	
С		Seat Panel	1	
D		Support Bar	2	
E		Backrest Panel	1	
F		Seat Cushion	1	

<u>Hardware:</u>					
No	Picture	Description	Qty		
1		Allen Wrench	1		
2		Bolt (M6*40mm)	7		
(3)		Screw (M6*60mm)	5		


Screw (M6*80mm)

3

Assembly Preparation:

Before Beginning Assembly:

4





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-


Assembly Steps:



This Bar Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bar Chair, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise yourself with the parts and steps before assembly.




Unpack and place all parts on a clean, non-marring surface.




With assistance from your adult partner, attach Support Bars (D) to Left Leg Panel (A) by using Screws (3) and Allen Wrench (1) as shown above.

DO NOT fully tighten the Screw and the Screws.



Place the assembled part in Step 2 facing down on a clean, non-marring surface. With assistance from your adult partner, attach Seat Panel (C) to Left Leg Panel (A) of the assembled part in Step 2 by using Bolts (2) and Allen Wrench (1) as shown above.


DO NOT fully tighten the Bolts.



With assistance from your adult partner, turn the assembled part in Step 3 right side up.

Then insert the mortises of Right Leg Panel (B) to the tenons of Support Bars (D) and Seat Panel (C) and secure Right Leg Panel (B) to Support Bars (D) by using Screws (3) and Allen Wrench (1) as shown above.


DO NOT fully tighten the Screws.



With assistance from your adult partner, place the assembled part in Step 4 right side down on a clean, non-marring surface.

Secure Seat Panel (C) to Right Leg Panel (B) of the assembled part in Step 4 by using Bolts (2) and Allen Wrench (1) as shown above.


DO NOT fully tighten the Bolts.



With assistance from your adult partner, turn the assembled part in Step 5 right side up.


Then attach Backrest Panel (E) to Seat Panel (C) by using Screws (4) and Allen Wrench (1) as shown above.

DO NOT fully tighten the Screws.



Secure Backrest Panel (E) to Left Leg Panel (A) and Right Leg Panel (B) by using Bolts (2) and Allen Wrench (1) as shown above.

DO NOT fully tighten the Bolts.



Inspect it and make sure all parts are adequately connected.


Gently and gracefully, sit onto the Bar Chair.

This will help to align all the parts at all joint areas.

Then get off the Bar Chair and proceed to tighten the Bolts and Screws in a sequential manner.

When tightening the Bolts, Screws tighten sequentially.

DO NOT tighten any Bolts, Screws fully and then move on towards the next one. If there are still wobbles, loosen the Bolts, Screws and execute this same process.



Place Seat Cushion (F) onto Seat Panel (A) and then tie the magic tape straps of Seat Cushion (F) to the slats of Seat Panel (A) as shown above.

Your Bar Chair is ready to use.

This Bar Chair can only be used on a flat, level surface.