Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



Do not put hot items directly on furniture surface.



• Do not clean furniture with harsh cleansers or polishes.



 To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.



Children should not climb or jump on the furniture.



 Do not write on furniture without a padded barrier to protect the surface.



 To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.




 Stains may be removed with mild soap solution and damp cloth.



 Dust and pick-up spills using a clean, non-colored, lintfree cloth.

Please look in the foot box places for hardware packs and legs

CHAIR



Caution: This Chair is NOT a TOY.

Keep your child / children at bay during the assembly process.


For moving the Chair and to prevent damage to the Chair, two adults are needed to execute.

| Parts List | | | | |
|------------|---------|----------------|-----|--|
| Label | Picture | Description | QTY | |
| Α | | Seat Panel | 1 | |
| В | | First Leg | 2 | |
| С | | Second Leg | 2 | |
| D | | Backrest Panel | 2 | |
| E | | Long Bar | 1 | |
| F | | Short Bar | 1 | |
| G | | Seat Cushion | 1 | |
| Н | | Pillow Cover | 1 | |
| I | | Back Pillow | 1 | |

| <u>Hardware</u> | | | | |
|-----------------|---------|---------------|--------------|--|
| Label | Picture | Description | QTY | |
| 1 | | Bolt (M6x60) | 9 | |
| 2 | | Bolt (M6x65) | 3 | |
| 3 | | Bolt (M6x35) | 3 | |
| 4 | 0) | Screw (M6x35) | 9 | |
| <u>(5)</u> | | Allen Wrench | 1 | |
| 6 | | Clip | 2 | |
| 7 | | Screw (M4x20) | 4 | |
| 8 | | Screwdriver | Not provided | |

Asembly Preparation

Before Beginning Assembly:



- (1) (a) x 9
- (3) 0 x 3
- (4) (1) x 9
- 5 **x** 1
- 6 x 2
- 7 • x 4



• Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-



• Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-


Asembly Preparation

Before Beginning Assembly:


OVERVIEW



This Chair has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Chair, the above picture is to assemble is to help you put the various parts into perspective. Please read through the instructions here below to familiarise the parts and steps before assembly.




Unpack and place all parts on a clean, non-marring surface.



Place Seat Panel (A) on a clear, non-marring surface as shown above picture. Attach First Legs (B) and Second Legs (C) into the Seat Panel (A) by using Bolts (1) and Allen Wrench (5).

Do not fully tighten the Bolts.






Attach Long Bar (E) and Short Bar (F) into the Backrest Panel (D) by using Screws (4) and Allen Wrench (5).

Do not fully tighten the Screws.


Step 4



Attach assembled frame in Step 3 into the Seat Panel (A) in Step 2 by using Bolts (2), Bolts (3) and Allen Wrench (5).

Do not fully tighten the Bolts.

Step 5



Attach Clips (6) into the Seat Panel (A) by using Screws (7) and Screwdriver (8) (Not provided).

Do not fully tighten the Screws.

Step 6



Turn the Chair to the right side.

Inspect it and make sure all parts are adequately connected.

Gently and gracefully, sit onto the Chair.

This will help to align all the parts at all joint areas.

Then get off the Chair and proceed to tighten the Bolts and Screws in a sequential manner.

When tightening the Bolts, Screws, please tighten sequentially.

DO NOT tighten any Bolts, Screws fully and then move on towards the next one.

If there are still wobbles, loosen the Bolts, Screws and execute this same process.

Step 7



7.1 Remove plastic bag to decompress white foam Back Cushion.



7.2 Unzip Back Cushion Cover.




7.3 Insert Back Cushion into matching Back Cushion Cover.



7.4 Adjust/smooth out cover and cushion before zipping pillow closed

Insert Back Pillow (I) into Pillow Cover (H).

Step 8



Put Seat Cushion (G) onto the Seat Panel (A)


Tie the magic tapes of Seat Cushion (G) to the slat of Seat Panel (A)

Put Pillow in Step 7 onto the Seat Panel (A)

Your Chair is ready for use.

This Chair can only be used on a flat, level surface.

Step 9



After assembling the chairs, place them close together and turn the Clips (6) in the direction of the arrow to connect the chairs together.