Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



• Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



• Do not place furniture near heating or cooling vents.



• Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.




 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in the storage for hardware packs and legs. Sets often ship in multiple boxes and may arrive a day or two apart.

Assembly Instructions

Caution: You must read this before you proceed

Accent Chair



Parts List			
Label	Picture	Description	QTY
А		Left Arm	1
В		Right Arm	1
С		Back Frame	1
D		Front Panel	1
E	Fr.	Seat Base	1
F		Wooden Leg	4
G		Seat Cushion	1
<u>Hardware</u>			
Label	Picture	Description	QTY
1		Plastic Washer	7
2		Allen Wrench	1
Assembly Preparation			
Before Beginning Assembly:			
	X7X1		



Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-


Assembly Steps




This Ottoman has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Ottoman parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.




Screw Wooden Leg(F) with Plastic Washer(①) to both Left Arm(A) and Right Arm(B) as picture shows




Tighten the Front Panel(D) with the Left Arm (A) and the Right Arm(B) By using Allen Wrench(②).



Insert the Seat Base(E) into the latch of the Left Arm(A) and the Right Arm(B).



Attach the Back Frame (C) to the Left Arm (A) and the Right Arm(B).




Attach the Back Frame (C) to the Left Arm (A) and the Right Arm(B).

Step 6










Caution: After packing up, place them in somewhere dry and venslated. After about 72-96 hours. It can be restored to the best use condition.


Open the vacuum bag and take the **Seat Cushion(G)** out. To restore the original shape, follow the steps bellow.

Step 7



Put the **Seat Cushion(G)** on the assembled Chair Frame

Step 8



Your Accent chair has beed Fully Assembled and ready to Use.