


Kitchen Island Cart

Assembly Instructions - Please keep for future reference

N707P394054
N707P394055



Important – Please read these instructions fully before starting assembly



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.
- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do no use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts
- Regularly check and ensure that all bolts and fittings are tightened properly.

WARNING
In order to help prevent overturning –
please follow these instructions















To help prevent product toppling over please follow the below steps:-

Use the anti tip strap or wall fixing method provided (if applicable)
Do not allow children to climb or hang on the furniture
Do not open more than one drawer at a time
Do not place heavy items in the top drawers
Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose


Components - Fittings

Please check you have all the panels listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases, more fittings may be supplied than required.

(A)	(B)	(C)	(D)
			
Cam Bolt x 98	6*30mm Dowel x 72	Cam lock x 98	4*25mm Screw x 32
(E)	(F)	(G)	(H)
			
nut x 2	4*12mm Locking caster x2	6*30mm Screw x 2	3.5*12mm Screw x 26
(I)	(J)	(K)	(L)
			
Connecting rods x2	Shelf support pin x 13	3.5*14mm Straight bend hinge x 4set	4*20mm Handle x 2SET
(M)	(N)	(O)	(CL)
			
3*16mm Door stopper x 2SET	4*12mm Handle x 3SET	3.5*12mm socket x 1	300mm runner x 3
(CR)	(DR)	(DL)	(P)
			
300mm runner x 3	300mm runner x 3	300mm runner x 3	Allen key x 1
(Q)	(R)	(S)	(T)
			
3*12mm Magnetic sheet x 2SET	4*12mm Caster x3	6*25mm Screw x4	m6 nut x 4
(U)	(V)	(W)	
			
6mm gasket x8	3.5*14mm Screw x4	Iron pipe spring x 4	

Tools required



Phillips screwdriver
(medium & large)

Using Camlocks

Step 1

Connect the male camlock as directed in the assembly instructions using a screwdriver.

1

DO NOT OVER TIGHTEN.
NE PAS SERRER EXCESSIVEMENT.

2

Step 2

Push the male camlock into the entry hole.

3

Step 3

Insert the female camlock as shown in the instruction.

Note: ensure that the arrow on the top of the camlock points towards the entry hole for the male camlock.

4



Step 4

Turn the female camlock clockwise with a screwdriver.

You should feel a click when the camlock is locked in place.




















The joint is now secure.

Assembly Instructions




















Assembly Instructions

N707P394054

 1 1260*60*15mm 2PC	 2 410*60*15mm 2PC	 3 1270*450*15mm 1PC
 34 298*265*3mm 3PC	 7 195*405*12mm 1PC	 12 405*135*12mm 3PC
 13 305*420*12mm 1PC	 14 767*405*12mm 1PC	 15 767*405*12mm 1PC
 16 767*442*12mm 1PC	 17 767*442 *12mm 1PC	 18 305*420*12mm 1PC
 19 305*420*12mm 1PC	 20 780*303*3mm 2PC	 21 1270*450*25mm 1PC
 22 1270*300*25mm 1PC	 23 299*303*12mm 2PC	 24 420*303*12mm 1PC
 37 780*313*3mm 1PC		

Assembly Instructions


N707P394055

 4 100*100*20mm 5PC	 6 24*372mm 1PC	 8 767*150*15mm 1PC
 9 767*150*15mm 1PC	 10 767*150*15mm 1PC	 11 767*150*15mm 1PC
 25 553*299*15mm 1PC	 26 553*299*15mm 1PC	 27 351*100*12mm 2PC
 28 351*100*12mm 2PC	 29 220*100*12mm 4PC	 30 10*232mm 4PC
 31 300*130*12mm 3PC	 32 255*130*12mm 3PC	 33 300*130*12mm 3PC
 35 300*195*15mm 3PC	 36 15*413mm 5PC	 5 90*60*15mm 2PC


Assembly Instructions

Step 1

(A)



Cam Bolt x4




Step 2

(C)




Cam lock x 4

(B)




6*30mm Dowel x 4




Step 3

(D)




4*25mm Screw x 20

(A)




Cam Bolt x8




Assembly Instructions

Step 4







Step 5





Assembly Instructions




Step 6



Step 7




Step 8



Assembly Instructions

Step 9



CL

300mm runner x 1

CR

300mm runner x 1

C


Cam lock x 12

H



3.5*12mm Screw x 4

Step 10



CL

300mm runner x 1

CR

300mm runner x 1


H




3.5*12mm Screw x 4

Assembly Instructions

Step 11




Step 12




Assembly Instructions

Step 13






Step 14




Assembly Instructions

Step 15




Step 16




Assembly Instructions

Step 17

(A)




Cam Bolt x 10




Step 18

(B)



6*30mm Dowel x 6



(T)




m6 nut x 4


(U)



6mm gasket x 8



(B)




6*30mm Dowel x 6

(C)



Cam lock x 10

(I)



Connecting rods x2


(S)





6*25mm Screw x4

Assembly Instructions

Step 19





Step 20




Assembly Instructions

Step 21




(A)



Cam Bolt x 8

(K)





3.5*14mm Straight bend hinge
x 4set

(Q)




3*12mm Magnetic sheet x 2SET

Step 22



x2



(A)



Cam Bolt x 8

(B)






6*30mm Dowel x 8

(C)





Cam lock x 8







Assembly Instructions

Step 23



Step 24




6*30mm Dowel x 8


Cam lock x 8

Assembly Instructions


Step 25





If the door can't close,please adjust the hinges.




This is used to adjust the door panel in the up and down direction.



This is used to adjust the door panel in the front and back direction:Loosen the screw first, and then tighten screw after adjusting the door panel to the proper position.




Step 26




Assembly Instructions


Step 27



4*25mm Screw x 12




x3



A

Cam Bolt x 12

A circular icon containing the letter 'C' and a small image of a cam lock.



Step 28






Diagram showing a headless screw with a cross slot head and a Phillips screwdriver bit.


A diagram showing a long, thin, angled component with a series of small, evenly spaced circular features along its length. To the left of the component, inside a circle, is the label 'DL'.

A diagram showing a 300mm long metal track runner. The label 'DR' is enclosed in a circle at the top left. The track has a series of small, evenly spaced holes along its length.


19

Assembly Instructions

Step 29




Step 30



Assembly Instructions

Step 31



Step 32

