


Assembly Instruction



-DGC074C-

General Guidelines

- Please read the following instructions carefully and use the product accordingly.
- Please keep this manual and hand it over when you transfer the product.
- This summary may not include every detail of all variations and considered steps. Please contact us when further information and help are needed.


Notes

- The product must be assembled and used in accordance with the provisions of the manual.
- The seller does not assume any responsibility or liability with respect to any injury/damage caused by incorrect assembly or improper use.
- If there are any defective or missing parts after unpacking, please cease assembly immediately and contact us.
- Please assemble the item on a spacious surface and do not place the unwrapped product directly on the ground to avoid product damage.
- Please wear gloves during the assembly and/or disassembly process to avoid scratches from any sharp edges.
- Please match the corresponding part and fitting based on the part number in the manual.
- If the part does not match with the fitting, please check the piece as specified in this manual.
- During assembly, first loosely align all screws with the corresponding pre-drilled holes and then tighten the screws one by one.
- Periodically inspect screw tightness while the product is in use. If necessary, retighten to ensure structural integrity.
- Please keep the product away from sharp, pointed objects and corrosive substances to prevent product damage.
- Please place this item on level, solid ground during use.









Warnings

- During assembly, keep all small parts out of the reach of children. It may be fatal if swallowed or inhaled.
- Children should not climb or play on the product in order to avoid tipping over the furniture and causing serious injury.
- To avoid the potential dangers of suffocation, please keep all parts and packaging (film, plastic bags, foam, etc.) away from babies and children.
- Keep sharp objects and corrosive items away from the product to avoid any damage or injury.
- Do not shake or move violently during use to avoid tipping over the product.












Part list



	Parts A, 2, and 4 have been pre installed. Please disassemble and follow the steps to begin assembly					
1 X27		2 X1	A	3 X2	4 X1	5 X1
						
6 X4		7 X4		8 X12		9 X6
	1105.8mm Short pipe		11 X5			1145.2mm Long tube
10 X2		11 X5		12 X4	13 X4	14 X20

Hardware list

						
M6*30MM	M6*20MM	M6*12MM	M6*40MM	M6*20MM/20MM		
1pcs	30pcs (Extra 2)	108pcs (Extra 6)	32pcs (Extra 2)	20pcs (Extra 1)	20pcs (Extra 1)	144pcs (Extra 7)
						
24pcs (Extra 1)	52pcs (Extra 3)	28pcs (Extra 2)	18pcs (Extra 1)	1pcs	4PCS	1PCS


1

To maintain aesthetics, pay attention to keeping the horizontal and vertical iron wires consistent on both sides during assembly

**2**


3

Pay attention to the E screw accessories



Step production X2

Combination 3 X2



M6*20MM


I X8

G X16

C X16

4

Pay attention to the E screw accessories




Combination 1 G

Combination 2 G

Step production X2

Combination 4 X2




M6*20MM

I X8

G X16


C X16

5



Pulling and lifting for installation

6




Step production X2

7




Be careful not to tighten the E screw, and the G nut needs to be removed later for the subsequent installation of part 6

Pay attention to the E screw accessories




Combination 1



Combination 5

8


Pay attention to the E screw accessories



Combination 1

Combination 1




Combination 6



9


Three people are required to operate

Continuous assembly of parts




! At the beginning of installation, component I is assembled facing outward

! Pay attention to the direction of component H



Combination 5

Combination 4

**10**

Three people are required to operate






Continuous assembly of parts



! At the beginning of installation, component I is assembled facing outward



! Pay attention to the direction of component H




Combination 3






11

Remove nut G




Lock the nut





12


Remove nut G



Lock the nut




13





Three people are required to operate

⚠ Pay attention to the direction of component H


Combination 6




Continuous assembly of parts



Combination 3



14





Three people are required to operate

⚠ Pay attention to the direction of component H



Continuous assembly of parts

Combination 4





15

Remove nut G





Lock the nut




16



Remove nut G



Lock the nut



17



M6*20MM

I X4




G X8

C X8


18

Pay attention to the diagonal.






19


Insert part 7 first, and then tighten screw D




When inserting part 7 into the top nozzle of part 3, if there is a pipe plug, please remove it; if there is no pipe plug, disregard this instruction

**M6*12MM****D X4****20****M6*12MM****D X24****Combination 7 X6****21****M6*20MM/20MM****F X20****22****Step production X4****M6*12MM****D X4**



23



Combination 7



24



M6*30MM


(B) X2



(G) X2



25

Lock 80%




26


Note that the pipe No. 14 is not connected to the screw No. 11





27



Combination 7



28





M6*30MM

(B) X2

(G) X2

29




Corresponding hole installation




30

Repeat steps 27-29 until the following steps are completed


Corresponding hole installation





31



Combination 7




32




33


Corresponding hole installation




34



Combination 7



35




M6*30MM

(B) X2

(G) X2

36

Lock 80%




M6*40MM



(E) X2

37

**All screws are
tightened 100%**





Corresponding hole installation



M6*30MM

B X5




M6*30MM

(B) X8




(G) X8


39




After removing the G screws from the mesh sheets at the four corners and from the underside of every two mesh sheets, proceed to install the H accessories




After installation, ground nails or expansion screws can be installed at the bottom holes of the four central columns and at the H-shaped fittings






Please verify the diagonal dimensions
before installing the waterproof cloth



L X1

There are also the same holes on the back and side for fastening objects



Installation completed

