

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside. For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.



- Children should not climb or jump on the furniture.




- Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in Leg for hardware pack.

Sets often ship in multiple boxes and may arrive a day or two apart.

CHAIR



Parts List


Label	Picture	Description	QTY
A		Back	1
B		Seat	1
C		Left foreleg	1
D		Right foreleg	1
E		Left hind leg	1
F		Right hind leg	1

Hardware


Label	Picture	Description	QTY
①		Bolt (M8*50MM)	5
②		Bolt (M8*75MM)	5
③		Screw (M4*50MM)	5
④		Spring Washer (M8)	9
⑤		Washer (M8)	9
⑥		Allen Wrench (M8)	1

Assembly Preparation

Before
Beginning
Assembly:



A



B



C




D



E



F



① x5



② x5



③ x5



④ x9



⑤ x9



⑥ x1



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1




Unpack and place all the Parts and Hardware on a clean, non-marring surface.

Step 2




Use Allen wrench (⑥) to remove the support plate from the back (A).

Step 3




Attach the leg(C+D) into the mounting positions of the Seat (B) using Bolts(②), Spring Washer(④) and Washer(⑤) with Allen Wrench(⑥).
Do not fully tighten the Bolts.

Step 4




Attach the leg(E+F) into the mounting positions of the Seat (B) using Bolts(①), Spring Washer(④) and Washer(⑤) with Allen Wrench(⑥).
Do not fully tighten the Bolts.

Step 5




Attach the leg(C+D+E+F) into the mounting positions of the Back (A) using Screw (③), Spring with Allen Wrench(⑥).
Fully tighten the Bolts.

Step 6



Adjust the leveling feet(C) or (D) for balance.

Step 7



Check for stability and then tighten all the remaining bolts. DO NOT fully tighten a bolt in one go and then move on to the next. Rather, in a sequential manner, gradually tighten each bolt until all bolts are evenly secured. This methodology will ensure maximum evenness once all bolts are fully tightened.

Your Chair is ready for use.

Caution: This chair can only be used on a flat, level surface.