Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



• Furniture may scratch floors. We recommend using furniture pads to protect your floors.



Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.



Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in carton for hardware packs and legs.

Bar Stool Parts List Picture Description QTY Label 1 Left Leg Α Right Leg В 1 С Connection Rod 2 D Pedal 2 Ε Back 1 F 1 Seat Hardware Description Label **Picture** QTY Bolt (M6x18mm) 9 1 2 Bolt (M6x35mm) 11 Washer(6*18*1.5mm) 5 3 0 1 Allen Wrench (5mm) 4


Leveller

(5)

1

Assembly Preparation

Before Beginning Assembly:





- Read instructions, cover to cover-
- **P**₂x T
- Have 2 adults on hand for assembly-



• Do not assemble on flooring or carpet-




• Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

Assembly Steps




This Bar Stool has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Bar Stool parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarize yourself with the parts and steps before assembly.



Attach the Connection Rod (C) to Left Leg (A) and Right Leg (B) using the Bolt (1) with Allen Wrench (4) as shown above.


Do not fully tighten the Bolts.



Attach the Pedal (D) to Left Leg (A) and Right Leg (B) using the Bolt (②) with Allen Wrench (④) as shown above.

Do not fully tighten the Bolts.

Step 3






Insert the Back (E) to Left Leg (A) and Right Leg (B)

Step 4



4)*1








Attach the Back (E) to Left Leg (A) and Right Leg (B) using the Bolt (②) with Allen Wrench (④) as shown above.


Inspect the assembly and make sure all parts are adequately connected. Fully Tighten all the Bolts.



Place the Frame down on the edge of a clean, non-marring table top. Attach the Seat (F) to the Connection Rod (C) using the Bolts (②) and Washers (③) with the Allen Wrench (④)as pictured above.

Fully tighten the Bolts.

Step 6



Stand the Bar Stool up carefully.
Place the Bar Stool on a LEVEL SURFACE to check for wobbling.
Adjust the levelers on the legs to ensure Bar Stool stability.

Step 7



Your Bar Stool is ready for use. The Bar Stool can only be used on a flat, level surface.