


INSTRUCTION MANUAL



Poly Adirondack 49" Folding Bench


v1.0

! NOTICE

Do not overtighten screws. (Insert all screws before tightening screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws, and nuts before use.
- Reconfirm that all bolts, screws and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Please adjust the speed slowly when you use electric drill for assembling to avoid screw slipping.

TOOLS REQUIRED



**BENCH
600 LBS
CAPACITY**








**1 PERSON
ASSEMBLY**



**UP TO 30 MIN.
ASSEMBLY**


HARDWARE



PARTS

A


BENCH SEAT



1 PC

B


BACKREST



1 PC

C


LEFT ARM



1 PC

D


RIGHT ARM



1 PC

E


LEFT LEG



1 PC

F


RIGHT LEG



1 PC

G


FRONT RAIL



1 PC

H

BACKREST CONNECT



1 PC

I


LEFT CUP HOLDER



1 PC

J


RIGHT CUP HOLDER



1 PC

K


LOCKING BLOCK



2PCS

PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this bench and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Attach **Part I Left Cup Holder** to **Part C Left Arm** with 1 pc of **Hardware #1 Bolt**.

Do the same to attach **Part J Right Cup Holder** to **Part D Right Arm** with 1 pc of **Hardware #1 Bolt**.




PRODUCT ASSEMBLY

2


Attach **Part E Left Leg** and **Part F Right Leg** to **Part A Bench Seat** with 2 sets of **Hardware #5 Bolt**, **#9 Washer** and **#8 Nut** (see image below).

Insert the steel pin to the locating hole in bench legs to make it stand.



3

Attach **Part G Front Rail** to **Part E Left Leg** and **Part F Right Leg** with 4 pcs of **Hardware #2 Bolt** (see image below).




PRODUCT ASSEMBLY

4


Attach **Part C Left Arm (with Cup Holder)** to **Part E Left Leg** with 1 set of **Hardware #5 Bolt, #9 Washer and #8 Nut**.

Do the same to assemble **Part D Right Arm (with Cup Holder)** to **Part F Right Leg** with 1 set of **Hardware #5 Bolt, #9 Washer and #8 Nut**.



5


Attach 2 pcs of **Part K Locking Block** to **Part A Bench Seat** with 2 sets of **Hardware #4 Bolt, #9 Washer and #8 Nut**.



PRODUCT ASSEMBLY

6


Attach **Part H Backrest Connect** to **Part B Backrest** with 4 pcs of **Hardware #3 Bolt**.



7

Place **Part B Backrest (with Backrest Connect)** to the socket in **Part A Bench Seat** as below.


Attach **Part C Left Arm** and **Part D Right Arm** to **Part B Backrest** with 2 pcs of **Hardware #6 Screw**.



PRODUCT ASSEMBLY

8

Attach **Part K Locking Block** to **Part B Backrest** with 2 pcs of **Hardware #7 Screw**.



9


Tighten all the screws, bolts and nuts to ensure the bench is sturdy enough.



PRODUCT ASSEMBLY

10

Pull out the steel pin, pull up the backrest and push forward as below to fold the bench for better storage.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan