

# INSTRUCTION MANUAL



Poly Adirondack 49" Bench


v1.0

## **! NOTICE**

### **Do not overtighten screws. (Insert all screws before tightening screws.)**

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.
- Please adjust the speed slowly when you use electric drill for assembling to avoid screw slipping.

### **TOOLS REQUIRED**



**BENCH  
600 LBS  
CAPACITY**




**2 PERSONS  
ASSEMBLY**















**UP TO 20 MIN.  
ASSEMBLY**

### **HARDWARE**




## PARTS



## PRODUCT ASSEMBLY – OVERALL VIEW

Look at following overall view of this bench and learn the exact position of each part to be assembled.




## PRODUCT ASSEMBLY

**1**

Attach **Part I Left Cup Holder** to **Part C Left Arm** with 1 pc of **Hardware #1 Bolt**.

Do the same to attach **Part J Right Cup Holder** to **Part D Right Arm** with 1 pc of **Hardware #1 Bolt**.




## PRODUCT ASSEMBLY

**2**


Attach **Part F Right Front Leg** and **Part H Right Rear Leg** to **Part K Short Rail** with 2 pcs of **Hardware #4 Screw** (see image below).

Do the same to attach **Part E Left Front Leg** and **Part G Left Rear Leg** to **Part K Short Rail**.



**3**


Attach the combined right legs (**Part F+K+H**) to **Part A Bench Seat** with 4 sets of **Hardware #2 Bolt, #6 Washer and #5 Nut**.



## PRODUCT ASSEMBLY

4


Do the same to assemble the combined left legs (**Part E+K+G**) to **Part A Bench Seat** with 4 sets of **Hardware #2 Bolt, #6 Washer and #5 Nut**.



5

Attach **Part C Left Arm with Cup Holder** to the combined left legs (**Part E+K+G**) with 1 set of **Hardware #2 Bolt, #6 Washer and #5 Nut** (see image below).


Do the same to attach **Part D Right Arm with Cup Holder** to the combined right legs (**Part F+K+H**).



## PRODUCT ASSEMBLY

6

Attach 2 pcs of **Part L Long Rail** to the bench legs (**Part E** and **F**, **Part G** and **H**) with 4 pcs of **Hardware #3 Screw**.




7

Attach **Part B Backrest** to **Part A Bench Seat** with 2 pcs of **Hardware #3 Screw** and 1 pc of **Hardware #4 Screw** as below.

Attach **Part B Backrest** to **Part D Right Arm** and **Part H Right Rear Leg** with 1 pc of **Hardware #4 Screw**.

Do the same to attach **Part B Backrest** to **Part C Left Arm** and **Part G Left Rear Leg** with 1 pc of **Hardware #4 Screw**.



---

## PRODUCT ASSEMBLY

**8**

Tighten all the screws, bolts and nuts to ensure the bench is sturdy enough.



## CLEANING TIPS

---

**REGULAR CLEAN:** Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

**QUICK CLEAN:** You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan