


# 2 Door 5 Tier Transparent Glass Cabinet Assembly Instruction

## TEMPERED GLASS

—•Curio Cabinet/Display Cabinet/Wine Cabinet•—



Customer Service : [ahomrt@163.com](mailto:ahomrt@163.com)

## GOOD TO KNOW ABOUT TEMPERED GLASS

### IMPORTANT :

HANDLE WITH CARE! A DAMAGED EDGE OR SCRATCHED SURFACE CAN IN EXCEPTIONAL CASES CAUSE THE GLASS TO CRACK SUDDENLY. HOWEVER, NEVER INTO SHARP FRAGMENTS, ONLY INTO SMALL PIECES. AVOID COLLISIONS FROM THE SIDE – THIS IS THE MOST FRAGILE PART OF THE GLASS.

## WARNING

FURNITURE TIPPING-OVER COULD RESULT IN INJURY OR DEATH TO THE INSTALLER.



ALWAYS SECURE THIS PRODUCT PERMANENTLY TO THE WALL.

Please install near the area where you want to place cabinets in the future!

The only wall mount included in the package is suitable for wooden walls or other solid walls.

For wooden walls, please only use the screws, the included plastic screw accessory is only an option. For hard walls, please drill holes with a hammer and then insert the screws and plastic accessories. The included wall mount is not suitable for walls with weak holding force, such as plasterboard. To attach this product to the plasterboard, please make sure the screws are securely fastened to the keel. Please choose the proper safety devices according to the type of wall in your house.

1. Tempered glass has a 0.3% risk of self-explosion. In case of such an accident, please contact us and we will replace the damaged glass. During installation, please wear gloves, long-sleeved shirts, pants and socks to avoid possible injury.
2. To avoid possible accidents, please keep children away during installation. Please make sure that the installation is done by two adults.
3. During installation, use cardboard or carpet as a buffer layer to prevent the glass corner from colliding with hard objects such as the floor. Especially when installing tempered glass, make sure the corners do not hit the floor to prevent the tempered glass from exploding due to force changes.
4. When installing a display case, install the anti-tilt device first to avoid possible serious or fatal injury. To prevent possible tipping over, the display case must be permanently attached to the wall. Wall mounting is not limited to the fixtures we offer. You are free to install similar fixtures to avoid possible hazards.
5. DO NOT operate the cabinet door frequently, and DO NOT shake the cabinet to avoid the risk of colliding with the cabinet door or dropping objects. Again, install an anti-tipping device and keep children away (at least 2 meters/6.6 feet away) from this display case. Please also install a door lock to avoid possible injury from accidental operation by children.
6. The top/bottom panel of this cabinet is made of MFC/PVC-covered particle board, which is not fireproof.
7. For disposal, please contact the relevant local authorities or qualified companies.
8. The product is a partially transparent tempered glass display case, it is not fully transparent. After installation, the distance may be different due to the different fixing forces.
9. No part of this product can be swallowed, played with, or used for other purposes.
10. Please adjust the footrest on the product after installation. The maximum load of the glass plate is 8.00 kg/17.64 lbs. Note that the load capacity is for stored items only.
11. Product dimensions may have a tolerance of 10 mm/0.4 inch due to different measuring tools or methods.
12. After installing the cabinet, check and tighten all screws to avoid potential safety hazards, such as shelves falling and cabinet structures becoming loose due to loose screws.


# Time to get started

Place all the parts on a clean, flat and soft surface (e.g. carpet or rug) to prevent parts from getting scratched. It also helps to double-check you've got all the parts and hardwares, ensure they are correct before assembly.

---

## Estimated time for assembly

Approximate 120mins



---

## People recommended for assembly

Make it a team effort! Grab a friend for quicker, easier assembly.



2 People Build

---

## Tools Needed

Grab a Phillips head screwdriver to conquer this assembly



---

## Install Anti-tipping Device

To prevent tipping hazards and losses, Please be sure to install anti-tipping device











# Part List

NO	PART	SIZE	QUANTITY	TEXTURE OF MATERIAL	AS SHOW
1	Back glass	1789*387.5mm	2	Tempered glass	
2	Side glass	1789*345mm	2		
3	Door glass	1769*383mm	2		
4	Shelf glass	772*315mm	4		
5	Top plate	805*365mm	1	MDF	
6	Bottom plate	805*365mm	1	MDF	

! Product dimensions may have an error with 10mm due to the usage of different measuring tools or methods.


# Hardware List

			
Connector A <b>X8</b>	Connector B <b>X8</b>	Anti-tipping device <b>X2</b>	Nut <b>X40</b>
			
Screw <b>X42</b>	Gasket <b>X40</b>	Gasket <b>X32</b>	Door clip set <b>X2</b>
			
Lock <b>X1</b>	Horn guard <b>X2</b>	Adjustable Base、 Screw <b>X6</b>	Door stopper <b>X2</b>
			
Screw <b>X8</b>	Handle、Nut、 Bolt <b>X2</b>	Glove <b>X1</b>	


## TIPS FOR ASSEMBLY:

1. Keep all hardware parts out of reach of children.
2. Dispose plastic packaging material immediately to avoid any risk of suffocation to children and animals.
3. Identify all of the parts, hardware and quantities required for each step.
4. During assembly, do not over-tighten any fittings as this may cause damage.


## STEP 1




## STEP 2



## STEP 3




## STEP 4






Attention: For ease of assembly,  
it is recommended that one person  
stand and support the top of the two glass pieces.



## STEP 5




## STEP 6




## STEP 7




## STEP 8




## STEP 9




## STEP 10




## STEP 11



## STEP 12




## STEP 13



When pasting, the front and back length of foam should be as consistent as possible.




Point: Place ③ flat on the safe ground, and stick the foam sticker in part I/J/K on the 7 corners of ③ as shown in the figure. Please pay attention to the distance when pasting!



Attention: Please paste the sponge sticker correctly according to the steps shown in the diagram, and in the subsequent steps, cover the metal accessories according to the distance between the sponge pasted on each corner of the glass and the edge of the glass nearby. Prevent the problem of glass doors not being able to close in the future.


## STEP 14

The distance between the metal fittings and the edge of the mirror is the same as the distance between the sponge and the edge of the mirror. The same applies to the subsequent steps.





Attention: If the plastic gasket is not placed according to the instructions, there is a risk of glass explosion when locking the screws!!  
The same applies to the subsequent steps.

## STEP 15





Attention: The side with screws faces inside the cabinet. A plastic sheet is placed between the sponge and nut to prevent the glass from breaking.

The side without screws faces outward








## STEP 16


Attention: When tightening the screws, please do not tighten them too tightly, otherwise it may cause the door lock to deform.



Point: During the installation process, it is necessary to continuously adjust with a key, align the position, and then tighten the screws






## STEP 17



## STEP 18

Attention: Please make sure to permanently fix the cabinet to the wall





## Final Assembly