

Assembly Instructions

Caution : You must read this before you proceed

Care & Maintenance



- Not for commercial use. For residential use only.



- Furniture may scratch floors. We recommend using furniture pads to protect your floors.



- Do not put hot items directly on furniture surface.



- Do not clean furniture with harsh cleansers or polish.



- Do not place furniture under direct sunlight.



- Do not place furniture near heating or cooling vents.



- Do not write on furniture without a padded barrier to protect the surface.



- Do not place furniture outside . For indoor use only.



- Stains may be removed with mild soap solution and damp cloth.




- Children should not climb or jump on the furniture.







- Dust and pick-up spills using a clean, non-colored, lint-free cloth.






LOVESEAT



Parts List






Label	Picture	Description	QTY
A		Loveseat Back	1
B		Seat Cushion	1
C		Right Leg	1
D		Left Leg	1

Hardware

Label	Picture	Description	QTY
①		Allen Wrench (M6)	1
②		Bolt (M6x32mm)	9
③		Spring Washer (M6)	9
④		Flat Washer (M6)	9
⑤		Hole Sticker	5

Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

Overview




This Loveseat has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Loveseat parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Place all Parts on a clean and flat surface.


Step 2



Use the Allen Wrench (①), Bolts (②), Spring Washers (③) and Flat Washers (④) to install the Seat Cushion (B) and Leg (D) as shown in the picture above.

Do not fully tighten the Bolts at this time.


Step 3



Use the Allen Wrench (①), Bolts (②), Spring Washers (③) and Flat Washers (④) to install the Seat Cushion (B) and Leg (C) as shown in the picture above.


Do not fully tighten the Bolts at this time.

Step 4




Connect the Loveseat back (A) to the legs (C) and (D), and then fix it with an Allen wrench (①), bolt (②), spring washer (③) and flat washer (④).

Step 5



After the Loveseat is completely leveled, tighten all the bolts in sequence, and finally use hole stickers (⑤) to seal the holes on the legs (C) and (D), as shown in the picture above.

Step 6



Your Loveseat is ready for use.
This Loveseat can only be used on a flat, level surface.