


Grill Cart for EGG

User Manual

N707P397500B




1. Warning


- DO NOT allow your children to play near it when grill is in use on the cart.

2. Part List

NO.	Parts	Qty.
A	Table top	1
B1B2	Back board	2
C	Board support	4
D	Shelf board	1
E	Left side board	1
F	Middle board	1
G	Right side board	1
H	Bottom board	1
I	Shelf board	2
J1 to J6	Leg	6
K	Middle bar	1
L	Front bar	1
M	Top bar	2
N	Side bar	1
O	Handle	1
P	Bottle opener	1
Q	Left panel	1
R	Left panel support	2
S	S Hook	5
T	Trash bag holder	1
U	Support	1
V	Door	2
W	Door hinge	2
X	Door handle	2
Y	Door stopper	2
Z	Wheel	6




3. Hardware

Reference Image	NO.	Hardware	Qty.
	AA	M6X12 Bolt	82
	BB	M5X12 Bolt	4
	CC	M6X55 Bolt	4
	DD	M3X12 Bolt	4
	EE	M3 Nut	4
	FF	Wrench	1
	GG	Allen Wrench	1

4. Assembly instruction


Step1. Attach the Middle bar (K) to the Table top (A) by using 2PCS of M6X12 Bolts (AA).

	AA	X 2
---	----	-----




Step2. Attach Legs (J1, J2, J3, J4) to the Table top (A) by using 2PCS of M6X12 Bolts (AA) for each leg. Please make sure Legs in correct position as below picture shows.

	AA	X 8
---	----	-----




Step3. Attach 2PCS of Board support (C) to the Left side board (E) by using 2PCS of M6X12 Bolts (AA) for each support. Please make sure Board support (C) is inside board. Then attach Boards (E,G) to Legs (J1, J2, J3, J4) by using 4PCS of M6X12 Bolts(AA)for each board. Please make sure the Left side board (E) with Trash bag holder holes direct to Wheels side.

	AA	X 12
---	----	------




Step4. Attached the Back board (B1) to Leg (J1, J3)by using 2PCS of M6X12 Bolts(AA)for each side. Please make sure the Back board (B1) is at the left table side. Then attach the Back board (B2) in the same way.

	AA	X 8
---	----	-----





Step5. Attach the Door stopper (Y) to the Front bar (L) by using 2PCS of M3X12 Bolts (DD) and Nut (EE). Then attach the Front bar (L) to Legs (J2, J4) by using 2PCS of M6X12 Bolts (AA) for each side.

	AA	X 4
	DD	X 2
	EE	X 2





Step6. Attach 2pcs of support (C) to the Middle board (F), by using 2pcs of M6X12 bolt (AA) each support. Please make sure the support is outside the board as followed picture. Attach the Middle board (F) to the Middle bar (K), by using 2pcs of M6X12 bolt (AA). Please make sure the support is facing the other 2 supports as followed picture.

	AA	X 6
---	----	-----




Step7. Attach the Bottom board (H) to Legs (J1,J2,J3,J4) by using 2PCS of M6X12 Bolts (AA) for each leg. Then attach the Middle board (F) to the Bottom board (H) from inside by using 2PCS of M6X12 Bolts (AA).

	AA	X 10
---	----	------




Step8. Attach the Top bar (M) to Legs (J3, J4) by using 2PCS of M6X12 Bolts (AA) for each leg. Then attach Legs (J5, J6) to Top bar (M) by using 1PC of M6X55 Bolt (CC) for each leg.

	AA	X 4
	CC	X 2






Step9. Attach the Side bar (N) to Legs (J5, J6) by using 2PCS of M6X12 Bolts(AA) for each leg.

	AA	X 4
---	----	-----




Step10. Attach the Shelf board (I) to Legs (J3, J4) by using 1PC of M6X12 bolt (AA) for each leg. Then attach the Shelf board (I) to Legs (J5, J6) by using 2PCS of M6X12 Bolts(AA) for each leg.

	AA	X 12
---	----	------





Step11. Attach Wheels (Z) to Legs (J1,J2,J3,J4,J5,J6) as below picture shows. Please put wheels with lock at four corners and put 2PCS of wheels without lock in the middle of 2PCS of legs.



Step12. Attach the Side panel (Q) and the Side panel support (R) to Legs (J1, J2) as below picture shows. Using 2PCS of M6X12 Bolts (AA) to lock the Side panel support (R) and leg each support as below picture shows. Using 2PCS of M5X12 Bolt (BB) to lock the support and side panel (Q) each support.


	AA	X 4
	BB	X 4



Press to fold and unfold the panel


Step13. Turn over the assembled cart. Put the Shelf board (D) on the upper or lower position of the support as below picture shows. Then attach the Door stopper (Y) to the bottom board, by using 2PCS of M3X12 Bolts (DD) and Nuts (EE).Wrench (FF) be provided.

	DD	X 2
	EE	X 2




Step14. Attach the Door handle (X) to the Door (V)by using 2PCS of M6X12 Bolts (BB) for each door.

	AA	X 4
---	-----------	------------




- Step15.1.** Inert the Door hinge (W) through the door and the upper hole at the Front bar (L) as below picture shows.
2. Put the Door hinge (W) through the Door (V) and the hole at the Bottom shelf (H). Install the other Door (V) with the same way.




- Step16.** Attach the Bottle opener (P) to Leg (J6) by using 2PCS of Bolts (AA). Attach the Trash bag holder (T) and support (U) to the Left side board (E) by using 2PCS of Bolts (AA).

	AA	X 4
---	----	-----



Step17. Attach the Handle (O) to Legs (J5, J6), by using 2PCS of Bolts (CC). Then hang S Hooks (S) on the left panel as below picture shows.

	CC	X 2
---	----	-----



Now your grill cart is ready for use!

To extend the life of your cart, clean it after each use and cover (not provided) to protect it.