


# Assembly Instructions

**Caution: You must read this before you proceed.**

## Care & Maintenance


- ⊘  ● Not for commercial use. For residential use only.
  - ⊘  ● Do not put hot items directly on furniture surface.
  - ⊘  ● Do not clean furniture with harsh cleansers or polish.
  - ✓  ● To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
  - ⊘  ● Children should not climb or jump on the furniture.
  - ⊘  ● Do not write on furniture without a padded barrier to protect the surface.
  - ✓  ● To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
  - ⊘  ● Stains may be removed with mild soap solution and damp cloth.
- 
- ✓  ● Dust and pick-up spills using a clean, non-colored, lint-free cloth.




# CHAIR



**CAUTION: This Chair is NOT a TOY.  
Keep your child/children at bay during the assembly process.**


## Parts list

No.	Picture	Description	Qty
A		Base	1
B		Axis of rotation	1
C		Seat support rod	3
D		Seat	1
E		Left armrest	1
F		Right armrest	1
G		Backrest	1

H		Cushion	1
<b>Hard ware</b>			
No.	Picture	Description	Qty
①		M6 Spring washer	7
②		M8 Spring washer	17
③		M8 Nut	17
④		M8 Big washer	15
⑤		M8x25mm Screw	7
⑥		M8x30mm Screw	5
⑦		M8 Small washer	3
⑧		M6 Washer	15
⑨		M6 Screw	15
⑩		M6x40mm Screw	5
⑪		M6x30mm Screw	5
⑫		M8x35mm Bolt	3
⑬		M8 Nut cap	7
⑭		Spanner	2
⑮		wrench	2
⑯		Washer	2
⑰		Reinforcing iron piece	2
⑱		M8x35mm Screw	5

## Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

## Assembly Steps

### Overview




This Chair has multiple parts and may require up to some 30 minutes to assemble.

To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective.


Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

## **Step 1**



Unpack and Place all parts on a clean, soft surface.


## **Step 2**



Install the part C (seat support rod) to the part A (base) with washer (8), spring washer (1) and screw (9) using wrench (15).

**DO NOT fully tighten at this stage.**


## **Step 3**



USE PART ⑤ (M8X25MM SCREW), PART ④ (M8 BIG WASHER) AND PART ② (M8 SPRING WASHER), PART ③ (M8 NUT) AND PART ⑭ (WRENCH) TO INSTALL THE PART B (AXIS OF ROTATION).CONNECTING WITH SEAT SUPPORT ROD (C).

**DO NOT fully tighten at this stage.**


## **Step 4**



USE PART ⑥ (M8X30MM SCREW), PART ④ (M8 BIG WASHER) AND PART ② (M8 SPRING WASHER), PART ③ (M8 NUT) AND PART ⑭ (SPANNER) TO INSTALL THE PART ⑰ (REINFORCING IRON PIECE) ON TO THE PART B (AXIS OF ROTATION).

**DO NOT fully tighten at this stage.**


## **Step 5**



USE PART ⑱ (M8X35MM SCREW), PART ⑰ (WASHER), PART ④ (M8 BIG WASHER) AND PART ② (M8 SPRING WASHER), PART ③ (M8 NUT) TO INSTALL THE PART D (SEAT) CONNECTING WITH PART ⑰ (REINFORCING IRON PIECE) OF PART B (AXIS OF ROTATION) ADD THE PART ⑬ (CAP) TO THE END OF SCREW

**DO NOT fully tighten at this stage.**


## Step 6



CONNECT THE PART G (BACKREST) AND PART D (SEAT) WITH PART ⑪ (M6X30MM SCREW), PART ⑧ (M6 WASHER) AND PART ⑨ (M6 SCREW) USING PART ⑮ (WRENCH).

**DO NOT fully tighten at this stage.**


## Step 7



CONNECT THE PART E AND F (ARMRESTS) AND PART D (SEAT) WITH PART ⑩ (M6X40MM SCREW), PART ⑧ (M6 WASHER), PART ⑨ (M6 SCREW) USING PART ⑮ (WRENCH).


**DO NOT fully tighten at this stage.**

## Step 8



ADJUST THE PART E AND F (ARMRESTS) TO THE PART G (BACKREST) WITH PART ⑫ (M8X35MM BOLTS), PART ⑦ (M8 SMALL WASHER), PART ② (M8 SPRING WASHER), PART ③ (M8 NUT) USING PART ⑮ (WRENCH) AND PART ⑭ (SPANNER). AND THEN ADD THE PART ⑬ (CAP) TO THE END OF BOLTS.  
**DO NOT fully tighten at this stage.**

## Step 9



**Tighten all screws and bolts.**

Upon completion of full assembly, **bolt up-all screws can be tightened down.**

PUT THE PART H (CUSHION) ON THE PART D (SEAT) AND FASTEN TO THE PART G (BACKREST)

Your chair is now ready for use..