



# Assembly Instructions


**Caution: You must read this Assembly Instructions before you proceed**

## Care & Maintenance

-  • Not for commercial use. For residential use only.
-  • Do not put hot items directly on furniture surface.
-  • Do not clean furniture with harsh cleansers or polish.
-  • To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.
-  • Children should not climb or jump on the furniture.
-  • Do not write on furniture without a padded barrier to protect the surface.
-  • To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
-  • Stains may be removed with mild soap solution and damp cloth.
-  • Dust and pick-up spills using a clean, non-colored, lint- free cloth.









Please look in the backrest for hardware packs

## CHAIR







Caution: This Chair is NOT a TOY.  
Keep your child/children at bay during the assembly process.  
Whenever moving/lifting the Chair and to prevent damage to the Chair, two adult partners may be needed to execute these actions.

## Parts List:


Label	Picture	Description	QTY
A	 A technical drawing of a backrest assembly. It consists of a rectangular frame with a mesh or fabric backrest attached to the top and sides. The frame is supported by two horizontal bars at the bottom.	Backrest	1
B	 A technical drawing of a seat panel. It is a rectangular panel with a series of parallel slats or ribs running across its width, supported by a frame.	Seat Panel	1
C	 A technical drawing of a front left leg. It is a long, narrow rectangular bar with a small circular hole near the left end and a small protrusion at the right end.	Front Left Leg	1
D	 A technical drawing of a front right leg. It is a long, narrow rectangular bar with a small circular hole near the left end and a small protrusion at the right end.	Front Right Leg	1
E	 A technical drawing of a right connecting bar. It is a long, narrow rectangular bar with a small circular hole near the left end and a small protrusion at the right end.	Right Connecting Bar	1
F	 A technical drawing of a left connecting bar. It is a long, narrow rectangular bar with a small circular hole near the left end and a small protrusion at the right end.	Left Connecting Bar	1
G	 A technical drawing of a cross bar. It is a long, narrow rectangular bar with a small circular hole near the left end and a small protrusion at the right end.	Cross Bar	1
H	 A technical drawing of a cushion. It is a square-shaped cushion with a thick, padded top surface and a thin, flat bottom surface.	Cushion	1





## Hardware:


No	Picture	Description	QTY
①		Nuts	5
②		Washer	5
③		Screws (M6x70mm)	5
④		Screws (M6x50mm)	3
⑤		Screws (M6x60mm)	5
⑥		Bolt (M6x50mm)	3
⑦		Allen Wrench	1
⑧		Wrench	1

## Assembly Preparation:

Before Beginning Assembly:




-  ①x5
-  ②x5
-  ③x5
-  ④x3
-  ⑤x5
-  ⑥x3
-  ⑦x1
-  ⑧x1




# Assembly Steps:

## Overview:




This Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

## Step 1:




Unpack and place all parts on a clean, non-marring surface.

Step 2:




With the help of your adult partner, place the Seat Panel (B) facing down and then add the Front Left Leg (C) and Front Right Leg (D) to the Seat Panel (B) and secure by using Nuts (1) + washer (2) by Wrench (8). **DO NOT fully tighten the Nuts.**

Step 3:




Fix the Cross Bar (G) with the Left Connecting Bar (F) and the Right Connecting Bar (E) by using screws (4) by Allen Wrench (6). After that fix Connecting Bar Frame with the Front Leg by using screws (5) by Allen Wrench (7). **DO NOT fully tighten the screws.**

Step 4:





Fix the backrest (A) to the Seat Panel (B) and secure by using screws (3) and Allen Wrench (7) and fix the backrest together with the Connecting Bar by screws (5) and Allen Wrench (7). **DO NOT fully tighten the screws.**

Step 5:



Use the bolts (6) fix the Seat Panel (B) with backrest (A) by using the Allen Wrench (7). **DO NOT fully tighten the Bolts.**



### Leveller

Adjust high for balance

Adjust low for balance

Adjust Pre-installed Levellers height for balance

With the help of your adult partner, stand the Chair up.

Exert pressure floorwards, onto the Chair with both your hands.

This pressure will help the Legs and Chair Top reach full alignment status.





Check for wobbles on a LEVEL surface.

If no wobbles are found proceed to tighten the Bolts in a sequential manner, until evenly secured.

When tightening the Bolts tighten sequentially.

If there are still wobbles please loosen or tighten the 01 or all leveller under legs and do the same above process when move the Chair to another place.

**WARNING!! IF THE CHAIR IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.**



INSERT THE CUSHION AND TIGHT BY MAGIC TAPE TO THE SEAT FLATS  
Your Chair is ready for use.  
This Chair can only be used on a flat, level surface