

Assembly Instructions


CAUTION: You must read these Assembly Instructions before you proceed.

Care & Maintenance







-   • Not for commercial use. For residential use only.
-   • Do not put hot items directly on furniture surface.
-   • Do not clean furniture with harsh cleansers or polish.
-   • To obtain the longest lifespan of your outdoor product minimizing exposure to direct sunlight is recommended.
-   • Children should not climb or jump on the furniture.
-   • Do not write on furniture without a padded barrier to protect the surface.
-   • To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
-   • Stains may be removed with mild soap solution and damp cloth.
-   • Dust and pick-up spills using a clean, non-colored, lint-free cloth.







Please look in Seat Panel for hardware packs

3 SEATERS







Parts List:

Label	Picture	Description	Qty
A		Left Leg Panel	1
B		Right Leg Panel	1
C		Back Cushion	3
D		Seat Cushion	2
E		Middle Seat Cushion	1
F		Left Support Bar	1


N		Right Support Bar	1
G		Backrest Panel	1
H		Left Seat Panel	1
I		Right Seat Panel	1
K		Back Leg	2
L		Middle Leg	2
M		Back Cushion Cover	3

Hardware:

Label	Picture	Description	Qty
①		Allen Wrench	2
②		Bolt (M6x35mm)	3
③		Sleeve Nut (M6x15mm)	3
④		Screw (M6x35mm)	9
⑤		Screw (M6x20mm)	9
⑥		Bolt (M8x40mm)	9
⑦		Washer (Ø9 x Ø20 x 2mm)	9
⑧		Bolt (M8x120mm)	5
⑨		Screw (M7x130mm)	3
⑩		Wooden Dowel (Ø8x35mm)	4

Assembly Preparation:

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-





- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Step:






This 3 Seaters has multiple parts and may require up to 60 minutes to assemble. To give you an overview of the 3 Seaters, the above picture is to help you put the various parts into perspective. Please read through the instructions here below to familiarise yourself with the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.

Step 2




With assistance from your adult partner, attach Left Seat Panel (H) to Right Seat Panel (I) with the Wooden Dowels (10) are in the middle of Left Seat Panel (H) and Right Seat Panel (I) as shown above.

Then secure Left Seat Panel (H) to Right Seat Panel (I) by using Bolts (2) with Sleeve Nuts (3) and Allen Wrenches (1) as shown above.

Do not fully tighten the Bolts.

Step 3




With assistance from your adult partner, attach Back Legs (K) and Middle Legs (L) to the assembled part in Step 2 as shown above. Then:

Step 3.1, secure Middle Legs (L) to Seat Panels (H, I) by using Screws (4) with Allen Wrench (1).

Step 3.2, secure Back Legs (K) to Seat Panels (H, I) by using Screws (5) with Allen Wrench (1).

Do not fully tighten the Screws.

Step 4




With assistance from your adult partner, turn the assembled part in Step 3 right side up.

Then attach Backrest Panel (G) to both Left Seat Panel (H) and Right Seat Panel (I) by using Bolts (6) and Washers (7) with Allen Wrench (1) as shown above.

Do not fully tighten the Bolts.


Step 5



With assistance from your adult partner, attach Support Bars (F,N) to the assembled part in Step 4 with the Wooden Dowel (10) is in the middle of Left Support Bar (F) and Right Support Bar (N) as shown above.

Then secure Support Bars (F,N) to Backrest Panel (G) by using Bolts (8) with Allen Wrench (1).

Do not fully tighten the Bolts.




With assistance from your adult partner, attach Left Leg Panel (A) to the assembled part in Step 5 as shown above. Then:

Step 6.1, secure Left Leg Panel (A) to Left Support Bar (F) by using Screw (9) with Allen Wrench (1).

Step 6.2, secure Left Leg Panel (A) to Left Seat Panel (H) by using Bolts (6) and Washers (7) with Allen Wrench (1).

Do not fully tighten the Bolts and Screw.




With assistance from your adult partner, attach Right Leg Panel (B) to the assembled part in Step 6 as shown above. Then:

Step 7.1, secure Right Leg Panel (B) to Right Support Bar (N) by using Screw (9) with Allen Wrench (1).

Step 7.2, secure Right Leg Panel (B) to Right Seat Panel (I) by using Bolts (6) and Washers (7) with Allen Wrench (1).

Do not fully tighten the Bolts and Screw.

Step 8



Inspect it and make sure all parts are adequately connected.

Gently and gracefully, sit onto the 3 Seaters.

This will help to align all the parts at all joint areas.

Then get off the 3 Seaters and proceed to tighten the Bolts and Screws in a sequential manner.

When tightening the Screws and Bolts tighten sequentially.


DO NOT tighten any Screws or Bolts fully and then move on towards the next one.

If there are still wobbles, loosen the Screws, Bolts execute this same process.

Adjust Pre-installed Levelers height for balance.

Step 9

1.



2.



3.




4.



- 9.1** Remove plastic bag to decompress white foam Back Cushions (C).
- 9.2** Unzip Back Cushion Covers (M).
- 9.3** Insert Back Cushions (C) into matching Back Cushion Covers (M).
- 9.4** Adjust/smooth out cover and cushion before zipping pillow closed.

Step 10



Place Seat Cushions (D) and Middle Seat Cushion (E) onto the 3 Seaters. Then, place Back Cushions (C) onto the Seat Cushions (D, E) as shown above.

Your 3 Seaters ready to use.

This 3 Seaters can only be used on a flat, level surface.