
# **Assembly Instructions**

Caution: You must read this before you proceed.

#### **BENCH**



**CAUTION**: This Bench is NOT a TOY.

Keep your child / children at bay in the process of assembly.

For turning / flipping the Bench and to prevent damage to the Bench, 02 persons may be needed to execute this action.

## **Assembly Preparation**

Before Beginning Assembly:





Read instructions, cover to cover-



Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

Parts List			
NO.	Picture	Description	QTY
А		Bench Seat	1
В		Decorative Corner Block	4
С		Leg Panels	2
<u>Hardware</u>			
Е		Long Screws (7x70mm)	5
F		Short Screws (6x35mm)	9
G		Allen Key	1
Н		Cushion	1



Unpack and place all parts on a clean soft surface.




Place the Leg Panel (C) on its side, onto a clean, soft surface to avoid any scratch or damage the product


Align and insert the housing of Bench Seat (A) to the mounting position at the Leg Panel (C).

Then place the other Leg Panel (C) on the upper side of the Bench, as denoted by BOLD arrow above.

Insert the Long Screw (E) through the mounting position and affix the Leg Panel (C) by using Allen Key (G) as shown in Pic. 1, above.



Turn the Bench 180 degrees so as to enable to affix the other Leg Panel (C) Repeat the same process, as in Step 2 above.




Then tun the Bench from step 3 above, upside down, carefully.

Align and secure the Decorative Corner Block (B) with prefitted mounting position to the mounting position at the Bench.

Insert the Short Screw (F) through the mounting position and affix the Decorative Corner Block (B) by using Allen Key (G) as shown in Pic 2 above.

#### Loosely tighten screws and DO NOT overtighten the Screws.

Repeat the same process for the remaining 3 Decorative Corner Blocks (B).



Place the Bench on a LEVEL SURFACE to see if it wobbles.

If it wobbles, lift the Bench to some 30cm to 50cm height from the ground.

Keep your feet and toes well away from the drop zone.

Drop the bench freely and vertically with the four legs, hitting the ground, at the same time.

This Drop Test will help to ensure that all the screws and gaps to all reach full alignment status.


If no wobbles found, proceed to tighten all the screws.

**CAUTION:** When tightening these screws, tighten sequentially.

DO NOT tighten any screw fully and then towards the next one.

This would cause the frame to warp.

If there is still wobbles, loosen the screws and execute this same drop tests. WARNING!! IF BENCH IS NOT STABLE, IT COULD LEAD TO DAMAGING THE PRODUCT.



Now, place the Bench the right side up.

Place Bench Cushion (H) onto Bench Seat (A) & fit Cushion tie-backs to the Bench as showed in Pic. 3 above.

The Bench with Cushion is now ready for use.

### Care & Maintenance



• Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



• Do not place furniture under direct sunlight.



Do not place furniture near heating or cooling vents.



Do not write on furniture without a padded barrier to protect the surface.



Do not place furniture outside. For indoor use only.



• Not for commercial use. For residential use only.



Stains may be removed with mild soap solution and damp cloth.



● Dust and pick-up spills using a clean, non-colored, lint-free cloth.