










Assembly Instructions

CAUTION: You must read this before you proceed

Care & Maintenance


- ⊘  ● Not for commercial use. For residential use only .
- ⊘  ● Do not put hot items directly on furniture surface
- ⊘  ● Do not clean furniture with harsh cleansers or polish.
- ✓  ● To obtain the longest lifespan of your outdoor products minimizing exposure to direct sunlight is recommended.
- ⊘  ● Children should not climb or jump on the furniture.
- ⊘  ● Do not write on furniture without a padded barrier to protect the surface.
- ⊘  ● To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and /or place under patio or awnings.
- ⊘  ● Stains may be removed with mild soap solution and damp cloth.
- ✓  ● Dust and pick-up spills using a clean, non colored lint-free cloth

Assembly Instructions

DAYBED

CAUTION: You must read this before you proceed.

Please look in Seat Panel for hardware packs








CAUTION : This Daybed is NOT a TOY.





Keep your child / children at bay in the process of assembly.

For turning the Daybed and to prevent damage to the Daybed, 02 persons may be needed to execute this action.

Parts List


No.	Picture	Description	Qty
A		Backrest Panel	1
B		Seat Panel	1
C		Seat Cushion	1
D		Back Pillow	4
E		Fixed Folding Leg	2

Hardware

No.	Picture	Description	Qty
①		Allen Wrench	2
②		Bolt (M6*35mm)	7
③		Screw (M7*120mm)	3
④		Bolt (M8*35mm)	5

Assembly Preparation

Before Beginning Assembly:



- Read instructions, cover to cover-



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-


Assembly Steps

OVERVIEW




This Daybed has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the Daybed , the above picture to assemble to help you put the various parts into perspective. Please read through the instructions here below to familiarise the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.

Step 2




2.1) Open Fixed Folding Legs (E) prefixed under Seat Panel (B) as show in picture above.
2.2) Attach Backrest Panel (A) to Seat Panel (B) by using 2 Screws ((3)) + 6 Bolt ((2)) + Allen Key ((1)) as designated points as picture above.

Do not fully tighten the Bolts and Screws


This Daybed has multiple functions below are some steps to help you how to use this chair for your purpose. This Daybed can only be used on a flat, level surface.

Function 1: A Bed

Step 3.1



Step 3.2




To use this Daybed as a bed, follow these instructions:

3.1) Retract the Extended Armrest under the Seat Panel (B) to the maximum level, then raise the Armrest slightly. Next, pull the magic tape strap to open the Support Leg Panels as shown on the picture. Finally, pull the Extended Armrest until its Side Rail is flushed with the slats on the Seat Panel (B).


3.2) Place the Seat Cushion (C) and the Back Pillows (D) onto the Daybed. Then, with the help of an adult partner, tie the magic tape straps of the Back Cushion (C) to the Backrest Panel (A) and the Seat Panel (C) as shown in picture above.

Function 2: A Sunlounger

Step 4.1



Step 4.2



This Daybed can be also used as a Sunlounger with Adjustable Armrest.

Pull the armrest, close Leg Panels and lock the Button.

4.1) Raise any of one of Armrests halfway to gain the first level of the Armrest.

At this level, pull and lift the armrest and be sure the grave hole in the end of armrest will be locked safe with round latch as picture shown. Then , fold the leg back to lock.


4.2) Release the Armrest and raise this section to maximum height.

At this level, continue to pull and lift the armrest and be sure The grave hole in the end of armrest will be locked with connection rail safely.




Caution: Separate the Velcro on the Seat panel cushion when changing Armrest panel height.

Function 3: A Bench

Step 5.1



Step 5.2



To use Daybed as a Bench, adjust the Armrest height as same as Function 2, but for both sides.