
ASSEMBLY INSTRUCTIONS

LOVE SEAT WITH CUSHION IT-141134



CUSTOMER SERVICE INFORMATION


Please do not return to the store. If any pieces are missing call our toll free number at 1-888-287-4275 from 9:00 am to 5.00 pm CST (Monday to Friday) for replacement parts. For faster service, have the style number handy when calling.

GENERAL INFORMATION & TIPS

- 1. Please read the assembly instructions prior to assembling the bench.
- 2. To avoid damage, assemble the bench on a non-abrasive surface such as carpet.
- 3. Make sure all bolts tightly fastened before the bench is used.
- 4. This bench is not for commercial use.

Please make sure you have all parts before beginning assembly. Please wait until all steps are completed before tightening bolts.

1. A Phillips screwdriver is necessary for assembly. It's not included in hardware list.





2. A Rubber mallet is necessary for assembly. It's not included in hardware list.



PARTS AND HARDWARE LIST

| A1. Right side frame | A2. Left side frame | B. Back support | C. Seat |
|----------------------|---------------------|-----------------|----------------|
| | | | |
| QTY: 1 pc | QTY: 1 pc | QTY: 1 pc | QTY: 1 pc |
| D. Cross bar | E. 2" Bolt | F. 1" Bolt | G. Wooden cap |
| | | | |
| QTY: 1 pc | QTY: 2 pcs + 1 | QTY: 8 pcs + 1 | QTY: 10 pcs +1 |






Attach back support (B), seat (C) and cross bar (D) into right side frame (A1) (The seat with apron must be attached in front). Secure using 2" bolts (E) into armrest and 1" bolts (F) into leg frames as shown.

Repeat step 1 procedure to secure left side frame (A2)

STEP 3



- Make sure all parts are correctly connected and tighten all bolts completely using screwdriver.
- Tapping in the wooden caps (G) to cover bolts head using rubber mallet.
- Install the cushions.

THE BENCH IS NOW READY FOR USE.