


6 PC DINING SET DELUXE

Style # IT-610171

ASSEMBLY INSTRUCTIONS




CUSTOMER SERVICE INFORMATION

Please do not return to the store. If any pieces are missing call our toll free number at 1-888-287-4275 from 9:00 am to 5.00 pm CST (Monday to Friday) for replacement parts. For faster service, have the style number handy when calling.


THIS INSTRUCTION BOOKLET CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

IMPORTANT !

- * ASSEMBLE YOUR UNIT IN AN AREA FREE FROM ANY OBJECTS THAT MIGHT SCRATCH THE SURFACE OF YOUR UNIT.
- * EXAMINE ALL PACKING MATERIAL BEFORE DISCARDING, SHORTAGES MAY OCCUR FROM PARTS LEFT IN THE PACKING MATERIAL.
- * PLEASE READ THE INSTRUCTIONS CAREFULLY, AND VERIFY ALL PARTS ARE INCLUDED.
- * ALL BOLTS NEED TO BE TIGHTENED FROM TIME TO TIME TO AVOID DAMAGE.

**LIST OF WOODEN PARTS**

NO.	DESCRIPTION	Q'TY
A1	Right side frame	1 Pc
A2	Left side frame	1 Pc
B	Back support	1 Pc
C	Seat	1 Pc

LIST OF HARDWARE PARTS**D**

1 1/2" Bolt 6 Pcs


E

Wooden cap 6 Pcs


TOOLS REQUIRED

For proper assembly use these tools (not included)

1. 8" Phillips screwdriver
- for tightening all bolts and screws.
2. Rubber mallet
- for tapping in the wooden caps.




STEP 1




Attach back support (B), and seat (C) into right side frame (A1) to the matching holes.

STEP 2




Attach the left side frame (A2) onto the pre-assembled and secure using 1 1/2" bolts (D).

STEP 3



Turn the chair onto the other side and repeat step 2 to fasten the right side frame (A1).

STEP 4




- Upright the chair.
- Make sure all parts are correctly connected and tighten all bolts completely using screwdriver.
- Tapping in the wooden caps (F) to cover bolts head using rubber mallet.

THE CHAIR IS NOW READY FOR USE.

IMPORTANT !

- * **ASSEMBLE YOUR UNIT IN AN AREA FREE FROM ANY OBJECTS THAT MIGHT SCRATCH THE SURFACE OF YOUR UNIT.**
- * **EXAMINE ALL PACKING MATERIAL BEFORE DISCARDING, SHORTAGES MAY OCCUR FROM PARTS LEFT IN THE PACKING MATERIAL.**
- * **PLEASE READ THE INSTRUCTIONS CAREFULLY, AND VERIFY ALL PARTS ARE INCLUDED.**
- * **ALL BOLTS NEED TO BE TIGHTENED FROM TIME TO TIME TO AVOID DAMAGE.**

**LIST OF WOODEN PARTS**

NO.	DESCRIPTION	Q'TY
A1	Right side frame	1 Pc
A2	Left side frame	1 Pc
B	Back support	1 Pc
C	Seat	1 Pc

LIST OF HARDWARE PARTS


D  1 1/2" Bolt 6 Pcs

E  Wooden cap 6 Pcs


TOOLS REQUIRED

For proper assembly use these tools (not included)

1. 8" Phillips screwdriver
- for tightening all bolts and screws.
2. Rubber mallet
- for tapping in the wooden caps.




STEP 1




Attach back support (B) into right side frame (A1) to the matching holes, secure using 1 1/2" bolt (D).

STEP 2




Attach the seat (C) and left side frame (A2) to the pre-assembled and secure using 1 1/2" bolts (D).

STEP 3



- Upright the chair.
- Make sure all parts are correctly connected and tighten all bolts completely using screwdriver.
- Tapping in the wooden caps (E) to cover bolts head using rubber mallet.


STEP 4



THE BENCH IS NOW READY FOR USE.




IMPORTANT !

- * **ASSEMBLE YOUR UNIT IN AN AREA FREE FROM ANY OBJECTS THAT MIGHT SCRATCH THE SURFACE OF YOUR UNIT.**
- * **EXAMINE ALL PACKING MATERIAL BEFORE DISCARDING, SHORTAGES MAY OCCUR FROM PARTS LEFT IN THE PACKING MATERIAL.**
- * **PLEASE READ THE INSTRUCTIONS CAREFULLY, AND VERIFY ALL PARTS ARE INCLUDED.**
- * **ALL NUTS NEED TO BE TIGHTENED FROM TIME TO TIME TO AVOID DAMAGE.**

**LIST OF WOODEN PARTS**

NO.	DESCRIPTION	Q'TY
A	Table top	1 Pc
B	Leg	4 Pcs


LIST OF HARDWARE PARTS

C		Washer 8 Pcs
D		Spring washer 8 Pcs
E		Nut 8 Pcs


TOOLS REQUIRED

For proper assembly use these tools (included)

Wrench
- for tightening nuts.




STEP 1



- Put the table (A) face down on a flat non abrasive surface.
- Attach the legs (B) into table top (A) and secure using washers (C), spring washers (D) and nuts (E) as diagram shown. Tighten all nuts completely using wrench.
- Turn the table upright.

STEP 2



THE TABLE IS NOW READY FOR USE.