

**BT4884R0TX**

**"LOURDES" CHEVAL MIRROR**

**Assembly Instructions**



For assistance with assembly contact:


Southern Enterprises Inc.

Customer Service 1-800-633-5096

[service@seidal.com](mailto:service@seidal.com)

[www.seidal.com](http://www.seidal.com)










PO# 11617



# "LOURDES" CHEVAL MIRROR

## Parts List

Please review all parts and hardware before disposing of any packaging. Call Customer Service if missing hardware. Do not return to store/retailer. Using a screw that is too long will cause damage. Before beginning assembly, separate each type of screw. Carefully study the screw diagrams below.


<p><b>A</b></p>  <p><b>Quantity Of 2</b></p> <p><b>Side frame</b></p>	<p><b>B</b></p>  <p><b>Quantity Of 1</b></p> <p><b>Support bar</b></p>
<p><b>C</b></p>  <p><b>Quantity Of 2</b></p> <p><b>Short bolt</b></p>	<p><b>D</b></p>  <p><b>Quantity Of 2</b></p> <p><b>Long bolt</b></p>
<p><b>E</b></p>  <p><b>Quantity Of 1</b></p> <p><b>Allen wrench</b></p>	<p><b>F</b></p>  <p><b>Quantity Of 1</b></p> <p><b>Mirror frame</b></p>
<p><b>G</b></p>  <p>2 pcs of Metal washer G1 4pcs of Rubber washer G2</p>  <p>2 pcs of Metal washer G3</p> <p><b>Washer</b></p>	<p><b>H</b></p>  <p><b>Quantity Of 2</b></p> <p><b>Screw ball</b></p>

**Care and Cleaning Instructions:**  
Before using, wipe with a clean, dry cloth. Avoid rubbing or scratching the surface with rough or abrasive objects.

For replacement parts or questions, please call Customer Service at 1-800-633-5096. Do not return product to store. Please call manufacturer for assistance, questions or parts.

# "LOURDES" CHEVAL MIRROR

## Assembly Instructions




Unpack and lay parts on clean, padded surface like carpet or blanket. Check that you have all parts indicated on the front page

Step 1 Attached the support bar(B) to the side frame (A) by using Short bolt(C) and long bolt (D) , tighten it by Allan wrench (E)

Step 2 Attach mirror frame (F) to the assembled unit, attach the washer(G3) ,then G2 to the side frame (A) ,and attached another G2,then G1 and screw ball (H) tighten the mirror.

Now your Cheval Mirror is ready to use



# Parts Replacement Form

Name \_\_\_\_\_

Address \_\_\_\_\_

City/State/Zip Code \_\_\_\_\_

Phone Number \_\_\_\_\_

Please indicate where you purchased this item: Store/Website/Catalog  
\_\_\_\_\_

Please indicate color/size/style number:  
\_\_\_\_\_

Style No	Parts Letter	Parts Description	Quantity Needed
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Please immediately examine this product carefully. Any request for missing parts or damage replacement must be received within 90 days of your receipt of the product. Replacement, if available, will be honored within this time frame. Parts will not be available for items arriving fully assembled. We do not recommend modifying product(s) and we are not responsible for any damages due to product modification(s). If damages or missing parts are not reported within 90 days of your receipt, we are under no obligation to provide parts or replacement merchandise.

Please contact Southern Enterprises at 800-633-5096 or in Dallas 972-869-0111/ 9am – 4pm Mon-Fri Central time if you have product issues or email us at [service@seidal.com](mailto:service@seidal.com). Please ask for customer service representative for issues involving damages or replacement parts. Please ask for technical assistance representative for any issues with product and assembly/construction.

Please contact the retailer that you purchased from for returns.



Customer Service 1-800-633-5096  
[service@seidal.com](mailto:service@seidal.com)  
Southern Enterprises, Inc.  
600 Freeport Parkway, Suite 200  
Coppell, Texas 75019