


Assembly Instruction

BAR TABLE



Carefully unpack and identify each component before beginning assembly. Before you begin, please refer to parts list to make sure that you have all parts. Please take care when assembling the unit and always place the parts on a clean, soft surface.





Get social with us and discover more about our products, tips and exclusive discounts!






PRE-ASSEMBLY PREPARATION

- **CAUTION:** Assembly will require at least 2 adults. DO NOT use power tools. Please inspect all items BEFORE assembly. If for any reason you need to return this item, please kindly return it in it's original packaging.
- **WARNING!**
 1. DO NOT let any sharp objects touch or rub the surface of the product.
 2. When assembling, do not let children play around the working area.
 3. DO NOT tighten all bolts and screws completely until the entire unit has been assembled and set up.
 4. DO NOT USE if this product become damaged, and/or components are broken or missing.
- **CARE AND CLEANING:** DO NOT scratch or chip the finish. DO NOT use abrasive chemicals for cleaning. Clean with mild soap on a soft rag. Rinse and dry thoroughly.
- **MAINTENANCE:** Please periodically check all fittings and re-tighten as necessary.

PARTS LIST


CHAIR SEAT (A)	CHAIR LEG (B)	FOOTREST (C)	TABLE RING (D)
			
Qty: 1	Qty: 4	Qty: 1	Qty: 1

HARDWARE LIST (1 set in a plastic bag)

ALLEN BOLT (E) M6 x 16MM	ALLEN KEY (F) M6 x 14MM	ALLEN KEY (G)	
			
Qty: 8	Qty: 8	Qty: 1	


STEP 1

Attach the Leg (B) to the Table Top (A) by using Allen Bolt (E) and Allen Wrench(G). Please tighten the bolts to 90%.




STEP 2

Attach the Table Ring (D) to the Table Legs (B) by using Allen Bolt (F) and Allen Wrench(G). Please tighten the bolts to 90%.



STEP 3

Attach the Footrest (C) to the Legs (B) by using Allen Bolt (F) and Allen Wrench (G). Please tighten the bolts to 90%.



STEP 4

Kindly note the leveler is adjustable. If the floor or ground is uneven, you can adjust the leveler to assure the stability if necessary. Please tighten all bolts E and F to 100%. A few days after initial assembly. The product may acclimate to its new environment. Please ensure all bolts are still securely tightened.

