

CARE AND MAINTENANCE

Unplug lamps before using any cleaning solutions. Dust shades with a feather duster or with an appropriate vacuum-brush attachment. Wipe with a soft, dry cloth and clean lamp bases with the methods appropriate to the material. Avoid the use of chemicals and household cleaners as they may damage the finish.

NOTICE & IMPORTANT SAFETY INSTRUCTIONS

- * Please make sure that you have all parts indicated before you begin assembly of this item
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly
- * To reduce the risk of fire, electrical shock or injury to persons or property, please follow the guideline below for safe use and installation
- *The external flexible cable or cord of this luminaire cannot be replaced;
If the cord is damaged, the luminaire shall be destroyed

















**This portable lamp has a polarized plug (one blade is wider than the other) as a safety feature to reduce the risk of electric shock. this plug will fit in a polarized outlet only one way. if the plug does not fit fully in the outlet, reverse the plug, if it still does not fit, contact a qualified electrician. never use with an extension cord unless the plug can be fully inserted. do not attempt to defeat this safety feature.




Model# FLL4021

Product Dimensions: 17*17*57"H

Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY	PIECE	DESCRIPTION	PICTURE	QUANTITY
A	top metal frame		4X	H	sheet iron		1X
B	table-foot		1X	I	sheet iron		1X
C	bottom metal frame		1X	K	iron tube		1X
D	screw		6X	L	Socket Assembly		1X
E	spanner		1	M	Bulb		1X
F	glass		1X	N	Harp		1X
G	screw		1X	O	Shade		1X
Q	screw		3X	P	Finial		1X




PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents list. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 30 minutes.


PLEASE USE ON/OFF TYPE "A" BULB MAX 100-WATT OR CFL BULB MAX 23-WATT OR LED BULB MAX 12-WATT

THERE IS LED 9-WATT BULB IN THE BOX




Step 1

Make sure all parts could be aligned before assemble
Do not rotate lamp body too hard avoid base screw broken
Put the top metal frame reversely, fix the table foot(B)
on the metal frame(A) with screws(D) by using spanner(E)
then put the reversed bottom metal frame(C) on the table
foot(B), fix it with screws(Q) by using spanner(E)



Step2


Put the fixed frame upside
Put the glass(F) on the top
of metal frame(A)



Step3

Screw the socket assembly(L) on the tube(K)
 Cord, screw (G), Sheet iron(H) go through the glass(F),
 and the hole of metal frame(A), fix the screw(G)
 on the threaded of the bottom of tube(K) anticlockwise
 Insert the Harp (N) into the saddle of socket assembly(L).
 Put the shade(O) on the Harp(N),then
 tighten the Finial (P)into the Harp (N)
 Insert the bulb(M) into the socket of socket assembly(L).

ENJOY YOUR LAMP



Step4

Put the light on a level surface to check
 if everything is stable.