

Product Name:	4x4 Solar Power LED Post Cap Light
SKU #:	WHS446

Thank you for purchasing this LuxenHöme product. This product has been manufactured with the highest standards of safety and quality.

### Operating Instructions

**BEFORE USING THIS PRODUCT: READ, UNDERSTAND AND FOLLOW THESE INSTRUCTIONS.**

#### **How Your Solar Post Cap Light Works:**

During the day, the solar charge panel included with this LED Solar Post Cap converts sunlight into electricity recharging the batteries. Using this stored energy, the LED light turns on automatically at night with the electricity stored in the batteries. It requires no wiring because it runs off the sunlight energy to recharge the batteries.

The number of hours the light stays on depends on your geographical location, weather conditions, and seasonal sunlight availability.

Easy “Do-It-Yourself” installation.

#### **Choosing a Location for Your Solar Motion Light:**


- The solar light must be placed in a position where it can get direct sunlight on the solar panel, and generally free from cover and shade.
- Make sure that the photo sensor on the lamp body is not going to be affected by another light source, otherwise the light will not illuminate at dusk.
- The solar light must be left to charge for 24 hours in direct sunlight before first time use so that the best results are achieved.

#### **Operation:**

- Turn the switch to the “ON” position, the lamp will be constantly lit starting at dusk.
- Turn the switch to the “OFF” position, the lamp will remain unlit.
- The performance of the solar lamp will vary with the time of the year. It will deliver light longer when it has had a full day in the sun rather than a day in overcast weather.

Product Name:	4x4 Solar Power LED Post Cap Light
SKU #:	WHSL446

### Installation Tips



- The solar cap light arrives unassembled and with the battery packaged separately. Install the battery and line up the lid to the lantern body.
- Turn the on/off switch to ON.
- Twist the solar lid clockwise to secure it to the lantern. It helps to press down while twisting the lid – it will lock into place.
- To remove the lid, twist the solar lid counterclockwise to remove the cap base as shown in Figure 1 above.
- Secure fixture using two mounting screws included.
- Allow at least 24 hours of sunlight to fully charge the battery for initial use.

### Replacing the Battery

For best results, batteries should be replaced every 1-2 years.

- Twist the solar lid counterclockwise to remove the cap base as shown in Figure 1 above.
- Replace the battery with a new AA size rechargeable battery (AA Ni-MH Rechargeable Battery). Be sure to insert the battery in the proper direction.
- Twist the lid back into place.
- Allow the fixture to receive a full 24 hours of sunlight to allow the new rechargeable battery to reach maximum capacity.

### Maintenance

To keep your solar light looking new, keep the lens free of dust and deposits by wiping occasionally with a dry cloth or damp cloth.

Most important, ensure that the solar panel is always kept free of dirt and debris. A dirty solar panel will not allow the batteries to fully charge, and this will shorten the life of the batteries and may cause the light to not function properly.

Product Name:	4x4 Solar Power LED Post Cap Light
SKU #:	WHSL446

### Technical Specifications

LED Light Setting:	8 Lumen
Rechargeable Battery Type:	AA Size 600mAh 1.2V NI-MH 1Pc
Solar Panel:	Amorphous silicon

### Troubleshooting:

Light will not switch on	<ul style="list-style-type: none"> <li>• Ensure that the power switch on the main body has been turned to the ON position.</li> <li>• Ensure that the battery has been fully charged in direct sunlight for one sunny day.</li> <li>• Check to see that the solar panel is not near the nighttime light sources, such as streetlights.</li> </ul>
Light switches on during the day	<ul style="list-style-type: none"> <li>• Ensure the post light is not placed in shady area.</li> <li>• Ensure the solar panel is facing towards direct sunlight.</li> </ul>
Light quickly flashes on and off	<ul style="list-style-type: none"> <li>• Battery charge may be low. Turn the power switch to the OFF position and charge the battery for two (2) sunny days, ensuring the solar cell charge panel has been placed in direct sunlight.</li> </ul>
Light is not as bright as normal	Battery charge may be low. Turn the power switch to the OFF position and charge the battery for two (2) sunny days, ensuring the solar cell charge panel has been placed in direct sunlight.

